


YOUR LIGHT STYLE

July 2021



YOUR LIGHT STYLE













INDEX

SYSTEMS	9
EIVA SYSTEM	10
FILÉ SYSTEM	22
LUMET SYSTEM	30
SI4 SYSTEM	36
CREATIVE-TUBES SYSTEM	42
ROSE-ONE SYSTEM	48
SPOSTALUCE SYSTEM	68
MAGNETICO [®] SYSTEM	72
SMART HOME SYSTEM	76
LIGHTING CABLES	80
OUTDOOR CABLES	94
LARGE SECTION CABLES	95
ROPE CABLES	97
FLAT CABLES	99
CEILING ROSES	100
LAMP HOLDERS	118
LAMPSHADES	130
ACCESSORIES AND FIXTURES	144
ELECTRICITY	158
BULBS	162
LAMPS	184
SINGLE PENDANT	186
SINGLE PENDANT WITH LAMPSHADE	188
MULTI-PENDANT	190
MULTI-PENDANT WITH LAMPSHADES	192
TABLE LAMPS	194
PLUG-IN LAMPS	196
CEILING AND WALL LAMPS	198
ABOUT US	200
REASONS TO BECOME A B2B CUSTOMER	201
SHOP CORNERS	202
CREATIVE-BOXES	206
OTHER DISPLAY SOLUTIONS	211
CONTACT INFORMATIONS	212



CREATIVE CABLES HAS SOMETHING FOR YOU



Create your Custom Lamp

Choose the components or personalize one of our lamps or try one of our configurators. It's all about getting the lamp the way YOU want it.



Illuminate Me

Do you need our assistance to bring light to your home? Ask for a free consultation to our Creative-Cables architect, who will help you find the perfect lighting solution for your special place.

Systems

Do you want an original design solution for your space? Our indoor and outdoor lighting systems meet everyone's needs with custom and uniquely designed solutions.



Are you a designer? Are you a lamp manufacturer?

Are you a designer? Or dealing in the retail and lighting industry? We have advantages and services dedicated to B2B customers like you.





www.creative-







ROMA





TREVISO

BRESCIA





MARSEILLE




	.de .fr .it	
cable	es.com	
	.be	
	.co.uk	
	.us	
	.es	
	.on	












SYSTEMS

Creative-Cables systems are our lighting solutions designed to adapt to your needs, both in terms of style and interior you're working on.

We have solutions for your walls and ceilings, but also to decorate your outdoor spaces. Choose the components that best suits to the mood of your design and to the color of the cable that gave you inspiration. Enhance your interior, create your custom solution, illuminate the room.

Creative-Cables systems are coherent lighting solutions designed to provide you with an answer that fits the style and functional needs you are working on. Our systems address both indoor and outdoor contexts as you simply have to lay the puzzle using the components at your disposal. As is the Creative-Cables trademark, you can of course customize, request different finishes and colours when working with our system solutions, to make sure that the system fits #YourLightStyle. Stay tuned as we develop and extend the ranges within our systems, even here the catalogue never sleeps!











9



The outdoor system by Creative-Cables

EIVA: the first do-it-yourself IP65 Outdoor lighting system.

Water has never been a natural environment for light. Until today. Create your own water, rain and storm resistant lamp with guaranteed Creative-Cables quality.

Patented Solution. Made in Italy.







DESIGNED FOR OUTDOOR, PERFECT FOR INDOOR.

The EIVA lighting system is designed, engineered and patented by Creative-Cables and will allow you to illuminate outdoor spaces like gardens, patios and terraces but also as lighting solution for the bathroom, without having to worry about water splashes.

EIVA SYSTEM






EIVA components

Configure your EIVA system by choosing the components that best suit your needs. IP65 single entry lamp holders can be purchased naked or with a soft touch silicone cover: perfect for single pendants or wall lamps. The multiple entry IP65 components (Eiva 2 and Eiva T) allow to create solutions with several light sources, distributed over a wide range and connected by an EIVA cable. The IP55 soft-touch silicone ceiling rose and the IP44 plug will allow you to complete your lighting using a wall connection or a socket.


Single input lamp holders



12



Multiple input components





Ceiling rose and plug













Outdoor EIVA cables

Our outdoor cables are also compatible with the EIVA system - Creative-Cables' water and rainproof outdoor lighting system.

Specifications:

H05RN-F 300/500Vac 2x1mm² Rubber sheathed flexible round IMQ-HAR Cable DOUBLE INSULATION under textile braid. Standard reference: EN 50525-2-11, Low Voltage European Directive No. 2014/35/EU, Products meeting the safety objectives of Low Voltage Directive 2014/35/EU (Annex I). IMQ-HAR certificate No. CA01.00683, DoP No. 0015. Diameter: 6.8mm - 2 x 0.75mm² or 7.8mm - 3 x 0.75mm². The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 50 meters in length.

MADE IN ITALY

X725M09









IEMMEQU ⊲HAR ⊳ № CA01.00683, DoP № 0015



X725N0



X72SN06








EIVA lamps

With EIVA lamps you can finally change the look of your outdoor spaces with the safety of a water resistant product which is Made in Italy. The soft touch silicone finishes and matching cable are perfect to re-create an elegant and contemporary design in your outdoor spaces, lighting pergolas and gazebos. Choose among the available versions the one that best suits your needs: with lampshade, for exposed light bulb, suspended, plug-in or wall fixed and enjoy your outdoor spaces!



Fermaluce





Max L 205mm, Max H 255mm

Max L 205mm, Max H 255mm

16



EIVA lamps **Suspension Lamps** PDEBIEL0115SM01 PDENEEL0115SM04 PDEGGEL0115SN02 PDEPEEL0115SM01 Ø max 125mm, cable lenght 1500mm PDEBI15SM01 PDENE15SM04 PDEGG15SN02 PDEPE15SM01 PDEVE15SX08 PDESAL15SN02 PDESB15SN02 Ø max 125mm, cable lenght 1500mm Ø max 125mm, cable lenght 5000mm PDEMU15SN06

PDEVEPA15SX08 PDESALPA15SN02 PDESBPA15SN02 PDEMUPA15SN06

Ø max 125mm, cable lenght 1500mm

PDEBIEL0250SM01DDBIA PDENEEL0250SM04DDNER PDENEEL0250SM04DDRAS0TS





Ø max 380mm, cable lenght 5000mm

PDEBI50SM01

PDENE50SM04

PDEGG50SN02

PDEPE50SM01

PDEVE50SX08

PDESAL50SN02

PDESB50SN02

PDEMU50SN06

PDEVEPA50SX08

PDESALPA50SN02

PDESBPA50SN02

PDEMUPA50SN06







Snake - Plug-in lamps



Ø max 300mm, cable lenght 5000mm

Ø max 60mm, cable lenght 5000mm






FILÉ SYSTEM

EASY

Create an impressive lighting installation in just a few steps. Filé lets you forget about the difficulty and effort of wiring up a lamp holder!



MOISTURE-PROTECTION


The rectangular section cable features an IP44 protection classification, meaning that you can also light up bathrooms and kitchens creatively using Filè!

FILÈ SYSTEM

Decorate and light up your walls with the FILÈ SYSTEM.

Filè is the Creative-Cables system designed to create wonderful wall or ceiling lighting solutions! Rectangular section cables covered in magnificent colours, high-quality wooden components Made in Italy: with Filè you can build a customized and 100% Creative lighting solution!

Made in Italy.








Components

24

All components are wooden and 100% Italian made, you can paint , varnish or leave the wood natural to suit your needs and creative projects.



Flat cables

Specifications:

H05RNH2-F 300/500Vac Rectangular flat shaped 2x1,5mm² cable Standard reference: EN 50525-2-82 and IEC 60245. The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 25 meters in length.






















































Filé System Kits

The Wiggle and the Linear kits have been designed to help you create simple yet unusual and catchy designs on your walls and ceilings without needing to make a custom project for them.

Wiggle kit


The Wiggle kit has been designed to help you re-create a simple yet unusual zigzag design on your walls. The kit is available in multiple versions: choose the color of the cable and of the components to best suit your design needs. It is composed of 3m of cable, 1 round canopy, 2 lamp holders E27, 1 wall fairlead and 1 terminal block.



Cable length: 3mt Components included: 1 canopy, 2 lamp holders E27, 1 wall fairlead, 1 terminal block.

Linear kit

The Linear kit has been designed to help you re-create a simple design that is perfect for illuminating a hallway with lateral electrical connection. The kit is available in multiple versions: choose the color of the cable and of the components to best suit your design needs. It is composed of 5m of cable, 1 round canopy, 3 lamp holders E27, 2 wall fairleads and 1 terminal block



Cable length:5mt Components included: 1 canopy, 3 lamp holders E27, 2 wall fairlead, 1 terminal block.

	\bigcirc		
	CAT02-LIN-CF10	CAT03-LIN-CF10	CAT-LIN-CF10
	CAT02-LIN-CM10	CAT03-LIN-CM10	CAT-LIN-CM10
	CAT02-LIN-CM05	CAT03-LIN-CM05	CAT-LIN-CM05
	CAT02-LIN-CF15	CAT03-LIN-CF15	CAT-LIN-CF15
	CAT02-LIN-CM09	CAT03-LIN-CM09	CAT-LIN-CM09
	CAT02-LIN-CM16	CAT03-LIN-CM16	CAT-LIN-CM16
	CAT02-LIN-CM17	CAT03-LIN-CM17	CAT-LIN-CM17
	CAT02-LIN-CH69	CAT03-LIN-CH69	CAT-LIN-CH69
	CAT02-LIN-CM21	CAT03-LIN-CM21	CAT-LIN-CM21
	CAT02-LIN-CM22	CAT03-LIN-CM22	CAT-LIN-CM22
	CAT02-LIN-CM27	CAT03-LIN-CM27	CAT-LIN-CM27
-	CAT02-LIN-CM02	CAT03-LIN-CM02	CAT-LIN-CM02
	CAT02-LIN-CM03	CAT03-LIN-CM03	CAT-LIN-CM03
	CAT02-LIN-CM04	CAT03-LIN-CM04	CAT-LIN-CM04
	CAT02-LIN-CZ04	CAT03-LIN-CZ04	CAT-LIN-CZ04
\$	CAT02-LIN-ECM39	CAT03-LIN-ECM39	CAT-LIN-ECM39
	CAT02-LIN-CZ22	CAT03-LIN-CZ22	CAT-LIN-CZ22
	CAT02-LIN-CN06	CAT03-LIN-CN06	CAT-LIN-CN06
	CAT02-LIN-CX08	CAT03-LIN-CX08	CAT-LIN-CX08
	CAT02-LIN-ECC37	CAT03-LIN-ECC37	CAT-LIN-ECC37




Symmetric kit

The Symettric kit has been designed to help you re-create a simple design that is perfect to illuminatw a hallway with central electrical connection. The kit is available in multiple versions: choose the color of the cable and of the components to best suit your design needs. It is composed of 5m of cable, 1 oval canopy, 4 lamp holders E27, 2 wall fairleads and 2 terminal block.

		\bigcirc		
\bigcirc		CAT02-LIN2-CF10	CAT03-LIN2-CF10	CAT-LIN2-CF10
		CAT02-LIN2-CM10	CAT03-LIN2-CM10	CAT-LIN2-CM10
		CAT02-LIN2-CM05	CAT03-LIN2-CM05	CAT-LIN2-CM05
\mathbb{N}		CAT02-LIN2-CF15	CAT03-LIN2-CF15	CAT-LIN2-CF15
		CAT02-LIN2-CM09	CAT03-LIN2-CM09	CAT-LIN2-CM09
P		CAT02-LIN2-CM16	CAT03-LIN2-CM16	CAT-LIN2-CM16
H		CAT02-LIN2-CM17	CAT03-LIN2-CM17	CAT-LIN2-CM17
		CAT02-LIN2-CH69	CAT03-LIN2-CH69	CAT-LIN2-CH69
\setminus		CAT02-LIN2-CM21	CAT03-LIN2-CM21	CAT-LIN2-CM21
		CAT02-LIN2-CM22	CAT03-LIN2-CM22	CAT-LIN2-CM22
		CAT02-LIN2-CM27	CAT03-LIN2-CM27	CAT-LIN2-CM27
		CAT02-LIN2-CM02	CAT03-LIN2-CM02	CAT-LIN2-CM02
	4	CAT02-LIN2-CM03	CAT03-LIN2-CM03	CAT-LIN2-CM03
\square		CAT02-LIN2-CM04	CAT03-LIN2-CM04	CAT-LIN2-CM04
		CAT02-LIN2-CZ04	CAT03-LIN2-CZ04	CAT-LIN2-CZ04
	0	 CAT02-LIN2-ECM39	CAT03-LIN2-ECM39	CAT-LIN2-ECM39
		CAT02-LIN2-CZ22	CAT03-LIN2-CZ22	CAT-LIN2-CZ22
		CAT02-LIN2-CN06	CAT03-LIN2-CN06	CAT-LIN2-CN06
		CAT02-LIN2-CX08	CAT03-LIN2-CX08	CAT-LIN2-CX08
	0	CAT02-LIN2-ECC37	CAT03-LIN2-ECC37	CAT-LIN2-ECC37

Cable length: 5mt Components included: 1 oval canopy, 4 lamp holders E27, 2 wall fairlead, 2 terminal blocks.



28



LUMET SYSTEM

Create a unique atmosphere with the LUMET SYSTEM.

Light up your outdoor spaces for a special evening with the colorful Creative-Cables string light systems.




TAILOR-MADE

The characteristics of the cable and lamp holders mean that you can configure Lumet easily according to your needs. If your requirements change, reconfiguring the system is just as simple!



LUMET SYSTEM



MOISTURE-PROTECTION

The IP44 protection classification means that you can install the Lumet System string lights in your outdoor spaces, even during the most humid evenings, and quickly take them down before each downpour.





Flat cables

Specifications:

H05RNH2-F 300/500 Vac Rectangular flat shaped $2x1,5mm^2$ cable Standard reference: EN 50525-2-82 and IEC 60245.

The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 25 meters in length.



String light accessories

Schuko Plugs, hooks, junctions, lamp holders: everything you need to complete your string light and illuminate gardens, gazebos and terraces.

Hook







0 0















XZ15CH69

XZ15CF10



XZ15CM22









~~~~~ XZ15CZ04







XZ15CX08









### Lumet Complete Kits

Ready-to-use Lumet string lights are ideal for lighting outdoor spaces such as gardens, terraces, and gazebos with a solution that is simple to install and to remove.

The kits offer a complete solution, available in different lengths and colors.

#### 7,5 mt Lumet String Light Kit


This Kit is composed of 7,5m Lumet String Light of the chosen color, 5 E27 Lamp Holders, 1 Hook and 1 Schuko Plug. These string light kits can be purchased with both black or white components.



|   | $\bigcirc$      |                 |
|---|-----------------|-----------------|
|   | CATE27B075CF10  | CATE27N075CF10  |
|   | CATE27B075CM10  | CATE27N075CM10  |
|   | CATE27B075CM05  | CATE27N075CM05  |
|   | CATE27B075CF15  | CATE27N075CF15  |
|   | CATE27B075CM09  | CATE27N075CM09  |
|   | CATE27B075CM16  | CATE27N075CM16  |
|   | CATE27B075CM17  | CATE27N075CM17  |
|   | CATE27B075CH69  | CATE27N075CH69  |
|   | CATE27B075CM21  | CATE27N075CM21  |
|   | CATE27B075CM22  | CATE27N075CM22  |
|   | CATE27B075CM27  | CATE27N075CM27  |
|   | CATE27B075CM02  | CATE27N075CM02  |
|   | CATE27B075CM03  | CATE27N075CM03  |
|   | CATE27B075CM04  | CATE27N075CM04  |
|   | CATE27B075CZ04  | CATE27N075CZ04  |
| 8 | CATE27B075ECM39 | CATE27N075ECM39 |
|   | CATE27B075CZ22  | CATE27N075CZ22  |
|   | CATE27B075CN06  | CATE27N075CN06  |
|   | CATE27B075CX08  | CATE27N075CX08  |
|   | CATE27B075ECC37 | CATE27N075ECC37 |

#### 12,5 mt Lumet String Light Kit

This Kit is composed of 12,5m Lumet String Light of the chosen color, 10 E27 Lamp Holders, 1 Hook and 1 Schuko Plug. These string light kits can be purchased with both black or white components.





CATE27B125CF10 CATE27B125CM10 CATE27B125CM05 CATE27B125CF15 CATE27B125CM09 CATE27B125CM16 CATE27B125CM17 CATE27B125CH69 CATE27B125CM21 CATE27B125CM22 CATE27B125CM27 CATE27B125CM02 CATE27B125CM03 CATE27B125CM04 CATE27B125CZ04 CATE27B125CZ22 CATE27B125CN06 CATE27B125CX08 CATE27B125ECC37 CATE27N125ECC37



CATE27N125CF10 CATE27N125CM10 CATE27N125CM05 CATE27N125CF15 CATE27N125CM09 CATE27N125CM16 CATE27N125CM17 CATE27N125CH69 CATE27N125CM21 CATE27N125CM22 CATE27N125CM27 CATE27N125CM02 CATE27N125CM03 CATE27N125CM04 CATE27N125CZ04 CATE27B125ECM39 CATE27N125ECM39 CATE27N125CZ22 CATE27N125CN06 CATE27N125CX08



## SI4 SYSTEM

### Systems for linear S14d LED bulbs

S14 linear LED lamps are perfect for wall installation, for creating wall combinations or as bathroom and outdoor lamps.

Thanks to Creative-Cables' exclusive solutions, they can also be used as pendant lamps, increasing their possibilities of use and creating original and creative compositions. Available lampholders are esse14 and Syntax®.

#### **IDEAL FOR**



Multiple compositions



# **S14 SYSTEM**

. .

## **Create unique lighting solutions** with S14 SYSTEM.

S14 is the Creative-Cables system that allows anyone to create spectacular lighting solutions using a piece of lighting history: tube bulbs.



### Bathroom lighting







**Outdoor spaces** 



#### ESSE14: wall or ceiling lampholders

Curved, small and design-oriented, you can give shape to your creations without worrying about their taking up too much space. It does not require a ceiling rose and can be attached directly to the wall. An exclusive Creative-Cables creation, designed to resist humidity thanks to its IP44 certification when combined with 30 or 50 cm linear LED bulbs.

### SYNTAX: lampholders for pendant lighting

The linear lamps with S14d socket are not restricted to basic wall or ceiling installation, but can also be presented in all their glory in suspension, or with a swivel joint, and may be combined in different compositions with never-before-seen scenographic effects, owing to the Syntax system.








SYNTAX\_S14D

#### Syntax S14d cover and lamp holder kit

The kit includes a Syntax lamp holder with S14d fitting and a cover, an accessory that allows you to cover your lamp holder whilst hiding the cable clamp. This metal lamp holder cover works as a sheathing for the S14d lamp holder and is available in different finishes - choose the one that suits your style. The Gold finish is a perfect match to the golden LED linear bulbs, whereas the Silver finish suits the Smoky Grey linear bulbs, and yet again the white version is excellent combined with the opaline linear bulbs for a total white effect.



KBXS14DVB0










#### Bulbs

The S14d lamp holders can be matched with a wide range of linear bulbs. Transparent, gold, smoky grey and opal finishes are available in 3 different lengths: small, medium and large. All the bulbs are dimmable.







#### S14 lamps

The elegance and design of these lamps create a sophisticated atmosphere. The pendant version is ideal for minimal yet functional lighting along corridors or in large open spaces. Alternatively, wall lamps provide functional and decorative illumination, such as above a mirror or picture. S14 Lamps can be purchased with or without a bulb.








# CREATIVE-TUBES SYSTEM

#### FLEXIBLE

Creative-Tube combines the fabric-covered sheath with two metal filaments, allowing the conduit to maintain its shape when bent. It adapts to suit your needs.





#### CREATIVE AND SAFE


You have the freedom to exhibit your electrical system. Create a wall design that is a functional light source without sacrificing safety; the system adheres to the highest standards.

# **CREATIVE-TUBES SYSTEM**

# Create your own personalized, visible wiring installation with TUBES.

Tubes are the Creative-Cables system that combines the beauty of the fabric covering with the practicality of a true surface wall system.

The Tubes system eliminates the need for ugly plastic electrical conduits or rigid metal pipework.



#### TAILOR-MADE

Create a beautiful and functional bespoke visible system that takes into account your daily needs and the style of your rooms



#### Creative-Tube 20mm

#### Specifications:

Their internal material complies with CEI-EN 61386-1 + EN 61386-22 Classification 3321. Classification No: 3321 Crushing Resistance: >750N on 5cm at 20°C Shock Resistance: (-15°C) after applying 2 kg mass hammer Operating Temperature: -5°C to +60°C Resistance to flame propagation: self-extinguishing VO Dielectric strength: <2000V A 50Hz Insulation resistance: >100 mega ohm Diameter: 20mm

The tube is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 30 meters in length.







NG20RN02



NG20RM09

NG20RZ24

NG20RN01

NG20RT41



NG20RM27





Creative Tubes. Plugs and switches in different standards, both available on single and double boxes.





CTB0X-1SW









NG20RM04

NG16RN06







CTBOX-2FRA

CTB0X-2GER

## Create many designs and find the answer to your functional needs with our range of Junction Boxes for





CTB0X-2SW



CTBOX-UK





CTBOX-2UK



#### Creative-Tube accessories

Discover all the amazing possibilities offered by Creative-Tubes and take the time to discover the accessories that best serve your creativity.







CLIPD20





CTCLIPBI

CTCLIPNE





CTCLIPNE







## **R**OSE-ONE **S**YSTEM

#### PATENTED SOLUTION

Rose-One System is a revolutionary ceiling rose system allowing anyone creating and customizing single or multiple pendant lamps to personalize their space.

#### **CONCEALED** CABLE CLAMPS

#### **CUSTOMISABLE**


Each Rose-One ceiling rose has a wide range of options you can choose from to create the solution that best fits your needs and taste. Size, shape, number of holes and decoration of the ceiling rose itself are the options you can choose for your customization. Rose-One can be complemented with cables, lamp holders, light bulbs and lampshades: making each solution unique.


# **ROSE-ONE SYSTEM**

## Create unique multi-pendant lamps with ROSE-ONE ceiling roses.


Rose-One System is a Creative-Cables exclusive solution allowing everyone to create wonderful multi-pendant lamps personalized on each one's needs.

Patented Solution.












#### DIY

For our professionals not only do we offer ready to use kits but also provide the separate covers with or without holes and the possibility to make them themselves using the template.






#### Rose-One Kits

For all our customers who like to create and design, being able to choose your ceiling rose for single or multi pendant lights just got a whole lot easier. Rose-One system comes in a wide variety of colors and design options. Look out for more options to come.

#### Round small 200mm



### HOW TO COMPOSE THE PRODUCT CODE








#### Square small 200mm

### HOW TO COMPOSE THE PRODUCT CODE



KRO Q 20 6F 201 holes Square Ø decoration 103 Matte Black







201 Palette







Street Art

203 Pop-Corn










Rectangular Rose-one ceiling roses can be connected to each other in a variety of combinations to meet everyone's needs. Here are some examples:






### HOW TO COMPOSE THE PRODUCT CODE



## WHAT YOU NEED TO BUILD YOUR ROSE-ONE CEILING ROSE

#### COVER

Choose the shape, the size and the decoration. You can either buy it:



PRE-DRILLED

#### **ALL-PURPOSE METAL CEILING ROSE**

Depending on the cover you chose, you will need to choose the correct one from the 3 available metal ceiling roses: round small for smaller covers, round big for bigger covers or rectangular (either white or black) for rectangular covers.



**CABLE CLAMPS** Add the transparent hidden cable clamps to your cart in order to complete your ceiling rose.



#### WARNING!

If you buy undrilled covers you will also need to buy a template inorder to ensure that you drill the holes correctly.







UNDRILLED










#### Pre-drilled covers

#### HOW TO COMPOSE THE PRODUCT CODE

The Rose-One pre-drilled come in three different shapes: square, round and rectangular. And the squared and round versions are available in two different diameters, 200 and 400mm. Covers are pre-drilled with 1 to 15 holes depending on their dimension following different kind of punching schemes. Covers come in different designs and colors and are made in aluminum or dibond. Complete the Rose-One ceiling rose with specific accessories: a metal ceiling rose and cable clamps.

Round small 200mm




CVF R 20 2F

CVF R 20 6F

CVF R 40 5PF









CVF R 40 6F

#### **Round large 400mm**











CVF R 20 4F

CVF R 40 4F






CVF R 40 9EF



CVF R 301 **5**F 20





decoration

Matte Black

104 Marble Marquina



102

Satin Copper Dibound

301

Blossom





109 Satin Steel Dibound

Damasco

201 Palette



303 Mandala Varanasi

CVF R 40 9XF

CVF R 40 5LF

58





Pre-drilled covers Round



105 Marble Carrara





106 Concrete



203 Pop-Corn



107 Satin Brass Dibound







#### Square small 200mm



CVF Q 20 2F

CVF Q 20 6F



CVF Q 20 3LF


CVF Q 20 7F





CVF Q 20 3TF


CVF Q 20 4F



205 Traingle


#### Square large 400mm

CVF Q 20 5F



### HOW TO COMPOSE THE PRODUCT CODE






Street Art

Pop-Corn


204 Orange



#### Rectangular XXL 675 x 225mm









102 Matte White

## HOW TO COMPOSE THE PRODUCT CODE



109 Satin Steel Dibound



#### Un-drilled covers

CVSQ40102

CVSQ40108

CVSQ401009

CVSR40102

CVSR40108

CVSR40301


CVRRE102


The Rose-One un-drilled come in three different shapes: square, round and rectangular. And the squared and round versions are available in two different diameters, 200 and 400mm. Covers come in different designs and colors and are made in aluminum or dibond.

Covers can be drilled following different kind of punching schemes: to drill the covers use our template.

#### Components

Compose your Rose-One system with these special components. The metal ceiling roses are the base of Rose-One System They are available in 4 versions, each one suitable for the different shapes and sizes of the Rose-One covers. While the special transparent cable clamps are designed to be hidden.





64





Sold in packs of 100



KROVNRE

21+6 holes 520 x 120mm





#### Wooden templates to drill the covers yourself

These wooden templates allow you to drill any round, square or rectangular cover for Rose-One in your store with a common drill. The holes are numbered to facilitate drilling: if you want, you can use our legend to reproduce the most classic drilling patterns.

You can drill the round and squared covers with this template:







KDIMA-ROSE-ONE

You can drill the rectangular covers with this template:








KDIMA-ROSE-ONE-RE







# SPOSTALUCE SYSTEM

#### **ANYWHERE YOU WANT**

**CUSTOMISABLE** 

Create original and contemporary interior lighting designs on the walls and ceilings with the round and twisted electric cables

and metal finishes of Spostaluce.

It doesn't matter where the connection to the mains supply is located; all you need to do is connect the cables and then position Spostaluce anywhere on the wall.



## Take the light anywhere you want with **SPOSTALUCE**

Install ceiling and wall lights to create your own tailored lighting system, even if there is no connection to the electrical circuit.

**CHOOSE YOUR STYLE** Minimal, vintage or industrial: each of the metal finishes available lets you create your preferred home decor style.





#### Spostaluce Lamps

#### **Spostaluce for lampshades**

Ready to use with many different colours and fabric textile cables from Creative-Cables. Spostaluce are the light points that will allow you to take the light source wherever you want, no longer having the issue of where the connection is to your electrical circuit. Available in many versions and finishes, with Spostaluce it will be possible to create light installations both on the ceiling and on the wall.

Each Spostaluce lamp includes a 2x0,75mm textile cable 3 metres long.

You can buy them with the cable supplied in the versions designed by us or customize their colour and length according to your needs!

#### Spostaluce with E27 smooth Lampholder





Ø 120mm - H 80mm



Ø 120mm - Max H 150mm



Ø 120mm - Max H 145mm



APM1FC2LVBPBB3RM01 APM1FC2LVNPPN3RN03 APM1FC1LG0PM03RC04 APM1FC1LRAPMR3RR11 APM1FC1LCRPMA3RN02 APM1FC1LBRPMB3RL03

APM1FC1LBRPMB3RL03 APM2FC2LVNTBRPPN3RN03 APM2FC1LG0TG0PM03RC04 APM2FC1LRATRAPMR3RR11 APM2FC1LCRTCRPMA3RN02 APM2FC1LBRTBRPMB3RL03



## MAGNETICO<sup>®</sup> SYSTEM



## **MAGNETICO® SYSTEM**

**Configure and reconfigure your lamps** just as you like with MAGNETICO®

Magnetico<sup>®</sup> is the lamp system that allows you to light your indoor spaces with compl xibility.

#### MOBILE

The Magnetico<sup>®</sup> system is based on an E27 lamp holder that can be installed on any flat metal surface, allowing you to easily move the lamp any time you need.



**COLOURFUL** Magnetico<sup>®</sup> products are available in an extensive range of colours. From the brightest to the more neutral shades, there's a colour to suit everyone's style!





#### FLEXIBLE

Direct the light where it is needed by simply repositioning the lamp holder. Magnetico<sup>®</sup> adapts to your changing needs, and the possibilities are endless!





### Magnetico<sup>®</sup>-Plug

It is a magnetic lamp holder able to adhere to any flat metal surface, no matter whether vertical or horizontal! Magnetico<sup>®</sup> -Plug is available in 9 different finishes and is equipped with a coloured 3 meter cable, switch, two-pole plug and E27 lampoholder.



MPLUGVNRC04





MPLUGTISRM03



### Magnetico<sup>®</sup>-Base

It is a small metal base, available in 9 different finishes, which can be associated with Magnetico<sup>®</sup> -Plug to create movable table lamps. It is ideal as a portable and adjustable light for reading or working on a PC, but it can also illuminate a coffee table or a bookcase. Also equipped with a fold, it allows you to direct the light as desired.







### SMART HOME SYSTEM

#### Your Smart Light Style

What's a smart ceiling rose? The ideal solution for those who live in a smart home or for those who want to start taking their first steps in home automation making their home "intelligent". Have fun activating the chandelier with a simple voice command, turn on the lights of your home automatically at sunset, create custom scenes and atmospheres by inserting your lamp in a group of lights: make any wall or ceiling lamp in your home smart with Creative-Cables!




 $(\cdot$ 



#### Smart ceiling roses

A smart ceiling rose is the "connected" version of a lighting rose: it can be used to create remotely controllable pendant, wall or ceiling lamps using an App or voice assistants. Choose the size of the ceiling rose (classic or XXL), the number of holes you need to create your lamp (up to 14 pendants!) and the finish that best matches your interior design style and have fun creating your own connected lamp!

#### Metal ø 120mm



A series of classic LED bulbs, but "smart" because they can be controlled remotely via the Smart Life app installed on any smartphone or tablet and compatible with major voice assistance systems such as Google Home and Amazon Alexa. Thanks to the E27 socket you can install our WiFi bulbs on any lamp or lampholder and make it smart.



H 114mm, L 60mm 6W - 2700K - 700 Lm

### Compatible with Amazon Alexa and Google Home

All the Creative-Cables smart ceiling roses are equipped with an ON/OFF switch already wired and ready to be easily connected to your electrical system, they can be controlled through the Smart Life app or connected to a voice assistant (they are compatible with Amazon Alexa and Google Home) and help you create lighting groups for custom scenes and atmospheres.









## COMPONENTS

Thousands of components are available to turn any lighting idea into reality. Cables, lampholders, rosettes, electrical accessories, extensions, decentralisers, wall fixings and decorative elements to create tailor-made lighting for anyone who wants it.




















COMPONENTS









# © CABLES



The **history of Creative-Cables** traces its roots back to the textile industry of the **Chieri** area in Piedmont, Italy, known for the renowned production of its "**textile trim shops**" since the early 1900s.

At that time, a fabric generically called "**mesh curtain**" was created with four intertwined threads and many holes, and was **produced with crochet machines** by the German company "Key", the holder of the world patent.





During the Second World War, Key was literally destroyed: but the resilience and drive of the people of Chieri, along with a pinch of luck and coincidence supported by a market demand did the rest to restore the trade.

It is **in this region** that we **manufacture our electrical fabric cables**, using the same technology underlying the textile trim production, leveraging a **pricless cultural heritage**.

81

### LIGHTING CABLES

More than 150 colours, patterns, textures and surface effects for different uses, tastes or designs. Choose among the offered styles (round, twisted, nautical, large section or flat) to select what best suits your lighting project: they are incredibly flexible, because we use high quality PVC to avoid bulges or wrinkles. All of our lighting cables are IMQ-HAR certified, the highest quality standard in Europe. Every single product is designed and Made in Italy.

#### Round silk-effect cables

Silk-effect cables have a bright solid finish, which is elegant yet informal. Shiny as silk, they can bring colour wherever needed.

#### Specifications:

**PM10** 

**PM11** 

**RF15** 

**RF06** 

H03VV-F 300/300Vac 2x0,75mm<sup>2</sup> or 3x0,75mm<sup>2</sup> N° A0643, DoP N° 0008 Flex Round IMQ-HAR Cable DOUBLE INSULATION under textile braid. Standard reference: EN 50525-2-11, Low Voltage European Directive N° 2014/35/EU, IMQ-HAR approval No. A0643, DoP No. 0008. Diameter: 6,2mm 2x0,75mm<sup>2</sup> or 6,6mm 3x0,75mm<sup>2</sup> The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 50 meters in length. UL listed 3 cores AWG18 cable is also available MADE IN ITALY



RZ24

RZ23



**RM07** 

**RM18** 

**RM36** 

RZ04

**RM03** 



**RM26** 

**RM09** 

**RM30** 

E496739 ZJCZ/7



RM04


**RM19** 




















**RZ08** 




**RT41** 




**RT94** 

RZ11









| 2x0.75  | 3x0.75  | 2x0.75  | 3x0.75  | 2x0.75  | 3x0.75  |
|---------|---------|---------|---------|---------|---------|
| XZ2RM00 | XZ3RM00 | XZ2RM17 | XZ3RM17 | XZ2RZ10 | XZ3RZ10 |
| XZ2RM01 | XZ3RM01 | XZ2RM11 | XZ3RM11 | XZ2RZ15 | XZ3RZ15 |
| XZ2RM02 | XZ3RM02 | XZ2RM12 | XZ3RM12 | XZ2RZ09 | XZ3RZ09 |
| XZ2RM27 | XZ3RM27 | XZ2RM20 | XZ3RM20 | XZ2RZ08 | XZ3RZ08 |
| XZ2RM03 | XZ3RM03 | -       | XZ3RM34 | XZ2RZ07 | XZ3RZ07 |
| XZ2RM26 | XZ3RM26 | XZ2RM18 | XZ3RM18 | XZ2RZ11 | XZ3RZ11 |
| XZ2RM04 | XZ3RM04 | XZ2RH69 | XZ3RH69 | XZ2RZ12 | XZ3RZ12 |
| XZ2RM10 | XZ3RM10 | XZ2RM06 | XZ3RM06 | XZ2RZ06 | XZ3RZ06 |
| XZ2RM05 | XZ3RM05 | -       | XZ3RM32 | XZ2RP04 | XZ3RP04 |
| XZ2RM25 | XZ3RM25 | -       | XZ3RM33 | XZ2RP09 | XZ3RP09 |
| -       | XZ3RM31 | XZ2RM21 | XZ3RM21 | XZ2RT14 | XZ3RT14 |
| XZ2RM15 | XZ3RM15 | XZ2RM22 | XZ3RM22 | XZ2RT41 | XZ3RT41 |
| XZ2RM09 | XZ3RM09 | -       | XZ3RM36 | XZ2RT94 | XZ3RT94 |
| XZ2RM19 | XZ3RM19 | XZ2RM13 | XZ3RM13 | XZ2RX04 | XZ3RX04 |
| XZ2RM16 | XZ3RM16 | XZ2RF10 | XZ3RF10 | XZ2RX01 | XZ3RX01 |
| XZ2RM08 | XZ3RM08 | XZ2RF15 | XZ3RF15 | XZ2RX00 | XZ3RX00 |
| -       | XZ3RM35 | XZ2RF06 | XZ3RF06 | XZ2RX03 | XZ3RX03 |
| XZ2RM14 | XZ3RM14 | XZ2RZ24 | XZ3RZ24 | XZ2RX05 | XZ3RX05 |
| XZ2RM07 | XZ3RM07 | XZ2RZ23 | XZ3RZ23 |         |         |
| XZ2RM30 | XZ3RM30 | XZ2RZ04 | XZ3RZ04 |         |         |

















#### Round cotton cables

Our cotton cables come in both pastel colours and warm tones. Cotton has a natural look and matches cozy and minimal environments. Ideal for those who prefer a "raw" feeling.

Nº A0643, DoP Nº 0008

US

.(UL

RC10

**RC34** 

RX12

RP28

RC31

RC21

RX10

RP25

RC35

PC63

RX07

#### Specifications:

H03VV-F 300/300Vac 2x0,75mm<sup>2</sup> or 3x0,75mm<sup>2</sup>

RC16

PC30

**RX08** 

RZ28

Flex Round IMQ-HAR Cable DOUBLE INSULATION under textile braid. Standard reference: EN 50525-2-11, Low Voltage European Directive N° 2014/35/EU, IMQ-HAR approval No. A0643, DoP No. 0008. Diameter: 6,2mm 2x0,75mm<sup>2</sup> or 6,6mm 3x0,75mm<sup>2</sup> The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum

of 50 meters in length. UL listed 3 cores AWG18 cable is also available

RC43

RC53

RX11

**RC04** 

RC18

RX13

RP26

MADE IN ITALY













RZ27



RZ25



| 2x0.75  | 3x0.75  | 2x0.75  | 3x0.75  | 2x0.75  | 3x0.75  |
|---------|---------|---------|---------|---------|---------|
| XZ2RC01 | XZ3RC01 | XZ2RC18 | XZ3RC18 | XZ2RX09 | XZ3RX09 |
| XZ2RC16 | XZ3RC16 | XZ2RC34 | XZ3RC34 | XZ2RX08 | XZ3RX08 |
| XZ2RC43 | XZ3RC43 | XZ2RC21 | XZ3RC21 | XZ2RP27 | XZ3RP27 |
| XZ2RC04 | XZ3RC04 | XZ2RC63 | XZ3RC63 | XZ2RP26 | XZ3RP26 |
| XZ2RC10 | XZ3RC10 | XZ2RC23 | XZ3RC23 | XZ2RP28 | XZ3RP28 |
| XZ2RC31 | XZ3RC31 | XZ2RC13 | XZ3RC13 | XZ2RP25 | XZ3RP25 |
| XZ2RC35 | XZ3RC35 | XZ2RX11 | XZ3RX11 | XZ2RP30 | XZ3RP30 |
| XZ2RC32 | XZ3RC32 | XZ2RX13 | XZ3RX13 | XZ2RZ27 | XZ3RZ27 |
| XZ2RC30 | XZ3RC30 | XZ2RX12 | XZ3RX12 | XZ2RZ28 | XZ3RZ28 |
| XZ2RC53 | XZ3RC53 | XZ2RX10 | XZ3RX10 | XZ2RZ25 | XZ3RZ25 |
|         |         | XZ2RX07 | XZ3RX07 |         |         |
|         |         |         |         |         |         |

#### Round metal cables

A copper layer partially covers a black electrical cable, for an incredibly shiny effect. We love it for that special industrial yet very chic touch.

#### Specifications:

H03VV-F 300/300Vac 3x0,75mm<sup>2</sup> Flex Round IMQ-HAR Cable DOUBLE INSULATION under textile braid. Standard reference: EN 50525-2-11, Low Voltage European Directive No. 2014/35/EU, IMQ-HAR approval No. A0643, DoP No. 0008. Diameter: 6,6mm The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 50 meters in length. MADE IN ITALY







IEMMEQU <> HAR> N° A0643, DoP N° 0008







#### 3x0.75

XZ3RR01

XZ3RR02

XZ3RR03

XZ3RR12

XZ3RR11



#### Round natural cables

Linen and jute bring warmth and coziness to any room: they are the match for furniture in natural materials such as wood and earth colours. You will love their unmistakable "coarse" and rustic touch.

#### Specifications:

H03VV-F 300/300Vac 2x0,75mm<sup>2</sup> or 3x0,75mm<sup>2</sup> Flex Round IMQ-HAR Cable DOUBLE INSULATION under textile braid.

Standard reference: EN 50525-2-11, Low Voltage European Directive N° 2014/35/EU, IMQ-HAR approval No. A0643, DoP No. 0008. Diameter: 6,2mm 2x0,75mm<sup>2</sup> or 6,6mm 3x0,75mm<sup>2</sup> The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 50 meters in length. UL listed 3 cores AWG18 cable is also available

MADE IN ITALY

**RN23** RN26 2x0.75 3x0.75 2x0.75 3x0.75 XZ2RN01 XZ3RN01 XZ2RN23 XZ3RN23 **RN27** XZ2RN02 XZ3RN02 XZ2RN26 XZ3RN26 XZ2RN03 XZ3RN03 XZ2RN24 XZ3RN24 XZ2RN04 XZ3RN04 XZ2RN27 XZ3RN27 XZ2RN06 XZ3RN06

N° A0643, DoP N° 0008

E496739 ZJCZ/7

#### Round glitter cables

Take plain cotton fabric, add some shimmering thread and you'll get a glamorous cable for your lamp.

#### Specifications:

H03VV-F 300/300Vac 2x0,75mm<sup>2</sup> or 3x0,75mm<sup>2</sup> Flex Round IMQ-HAR Cable DOUBLE INSULATION under textile braid. Standard reference: EN 50525-2-11, Low Voltage European Directive N° 2014/35/EU, c(UL)us IMQ-HAR approval No. A0643, DoP No. 0008. Diameter: 6,2mm 2x0,75mm<sup>2</sup> or 6,6mm 3x0,75mm<sup>2</sup> The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 50 meters in length. UL listed 3 cores AWG18 cable is also available MADE IN ITALY



RL01

RL22



**RL13** 







N° A0643, DoP N° 0008



**RL05** 





#### Round mixed cables

Not only colours can be mixed, but fabrics too! In this small selections, linen, cotton, glitters are put together to create some totally new patterns.

#### Specifications:

H03VV-F 300/300Vac 2x0,75mm<sup>2</sup> or 3x0,75mm<sup>2</sup> Flex Round IMQ-HAR Cable DOUBLE INSULATION under textile braid. Standard reference: EN 50525-2-11, Low Voltage European Directive N° 2014/35/EU, IMQ-HAR approval No. A0643, DoP No. 0008. Diameter: 6,2mm 2x0,75mm<sup>2</sup> or 6,6mm 3x0,75mm<sup>2</sup> The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 50 meters in length. UL listed 3 cores AWG18 cable is also available MADE IN ITALY





**RD62** 



RD55

**RD71** 







| 2x0.75  | 3x0.75  | 2x0.75  | 3x0.75  | 2x0.75   | 3x0.75  |
|---------|---------|---------|---------|----------|---------|
| XZ2RD73 | XZ3RD73 | XZ2RD72 | XZ3RD72 | XZ2RD64  | XZ3RD64 |
| XZ2RD63 | XZ3RD63 | XZ2RD62 | XZ3RD62 | XZ2RD54  | XZ3RD54 |
| XZ2RD53 | XZ3RD53 | XZ2RD75 | XZ3RD75 | XZ2R\$81 | XZ3RS81 |
| XZ2RD71 | XZ3RD71 | XZ2RD65 | XZ3RD65 | XZ2RS82  | XZ3RS82 |
| XZ2RD61 | XZ3RD61 | XZ2RD55 | XZ3RD55 | XZ2RS83  | XZ3RS83 |
| XZ2RD51 | XZ3RD51 | XZ2RD74 | XZ3RD74 |          |         |




| 2x0.75  | 3x0.75  |
|---------|---------|
| XZ2RL05 | XZ3RL05 |
| XZ2RL09 | XZ3RL09 |
| XZ2RL06 | XZ3RL06 |
| XZ2RL22 | XZ3RL22 |
| XZ2RL13 | XZ3RL13 |



(UL)us









**RD51** 









#### Twisted silk-effect cables

Ideal for lighting projects with a modern and elegant look, our silk-effect cables offer a bright and shiny finish. Silk-effect cables have a bright solid finish, which is elegant yet informal.

#### Specifications:

FRRTX 300/300Vac 2x0,75mm<sup>2</sup> or 3x0,75mm<sup>2</sup> Flex Twisted Visible Spiral Cable DOUBLE INSULATION (additional transparent sheath), braided woven cloth textile sleeve. Standard reference: Low Voltage European Directive No. 2014/35/EU Diameter: 6,2mm 2x0,75mm<sup>2</sup> or 6,6mm 3x0,75mm<sup>2</sup> The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum

of 50 meters in length.

#### MADE IN ITALY

88



CE



| 2x0.75  | 3x0.75  |  |
|---------|---------|--|
| XZ2TM01 | XZ3TM01 |  |
| XZ2TM00 | XZ3TM00 |  |
| XZ2TM02 | XZ3TM02 |  |
| XZ2TM26 | XZ3TM26 |  |
| XZ2TM04 | XZ3TM04 |  |
| XZ2TM10 | XZ3TM10 |  |
| XZ2TF10 | XZ3TF10 |  |
| XZ2TM05 | XZ3TM05 |  |
| XZ2TM25 | XZ3TM25 |  |
| XZ2TM15 | XZ3TM15 |  |
| XZ2TM09 | XZ3TM09 |  |
|         |         |  |

#### Twisted cotton cables

Thanks to their special twisted texture, they look like braids: but believe us, they are real electric cables! Cotton has a natural look and matches cozy and minimal environments. Ideal for those who prefer a "raw" feeling.

#### Specifications:

FRRTX 300/300Vac 2x0,75mm<sup>2</sup> or 3x0,75mm<sup>2</sup> Flex Twisted Visible Spiral Cable DOUBLE INSULATION (additional transparent sheath), braided woven cloth textile sleeve. Standard reference: Low Voltage European Directive No. 2014/35/EU Diameter: 6,2mm 2x0,75mm<sup>2</sup> or 6,6mm 3x0,75mm<sup>2</sup> The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 50 meters in length. MADE IN ITALY





TC53



| 2x0.75  | 3x0.75  |   | 3x0.75   |
|---------|---------|---|----------|
| XZ2TM19 | XZ3TM19 |   | XZ3TZITA |
| XZ2TM08 | XZ3TM08 |   | XZ3TZUSA |
| XZ2TM14 | XZ3TM14 |   | XZ3TG01  |
| XZ2TM07 | XZ3TM07 |   | XZ3TG07  |
| XZ2TM11 | XZ3TM11 |   | XZ3TG06  |
| XZ2TM12 | XZ3TM12 |   | XZ3TG03  |
| XZ2TM20 | XZ3TM20 |   | XZ3TG04  |
| XZ2TM06 | XZ3TM06 | 9 | XZ3TG05  |
| XZ2TM21 | XZ3TM21 |   | XZ3TG08  |
| XZ2TM22 | XZ3TM22 |   | XZ3TG09  |
| XZ2TM13 | XZ3TM13 |   | XZ3TG02  |
| XZ2TZ22 | XZ3TZ22 |   |          |













#### 3x0.75

- XZ3TC01
- XZ3TC43
- XZ3TC04
- XZ3TC53
- XZ3TC63
- XZ3TC23
- XZ3TC13



#### Twisted natural cables

Thanks to their special twisted texture, they look like braids: but believe us, they are real electric cables! Linen and jute bring warmth and coziness to any room: they perfectly match furniture in natural materials such as wood and earth colours.

#### Specifications:

FRRTX 300/300Vac 2x0,75mm<sup>2</sup> or 3x0,75mm<sup>2</sup> Flex Twisted Visible Spiral Cable DOUBLE INSULATION (additional transparent sheath), braided woven cloth textile sleeve.

Standard reference: Low Voltage European Directive No. 2014/35/EU

Diameter: 6,2mm 2x0,75mm<sup>2</sup> or 6,6mm 3x0,75mm<sup>2</sup>

The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 50 meters in length.

#### MADE IN ITALY









CE



2x0.75 3x0.75 XZ2TN01 XZ3TN01 XZ2TN02 XZ3TN02 XZ2TN03 XZ3TN03 XZ2TN04 XZ3TN04 XZ3TN06 XZ2TN06 XZ3TN07



#### Vertigo cables

These cables are braided with a peculiar pattern that cannot be found in other cables of our assortment. The effect is obtained by mixing coloured and transparent threads hereby resulting in some astonishing effects! Some of these cables are made out of natural fibres such as cotton, jute or linen; others are called "HD" because of their vivid and highly defined colours.

#### Specifications:

H03VV-F 300/300Vac 2x0,75mm<sup>2</sup> or 3x0,75mm<sup>2</sup> Flex Round IMQ-HAR Cable DOUBLE INSULATION under textile braid Standard reference: EN 50525-2-11, Low Voltage European Directive No. 2014/35/EU IMQ-HAR approval No. A0643, DoP No. 0008 Diameter: 6,2mm 2x0,75mm<sup>2</sup> or 6.6mm 3x0,75mm<sup>2</sup> Technology and design of Vertigo cables registered by Elexa Cavi. Vertigo cables are exclusively distributed worldwide by Creative-Cables The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 50 meters in length. MADE IN ITALY

















ERR04






































ERC37



|   | 2x0.75   | 3x0.75   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 2x0.75   | 3x0.75   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 2x0.75   | 3x0.75   |
|---|----------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------|
|   | XZ2ERM53 | XZ3ERM53 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | XZ2ERM41 | XZ3ERM41 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | XZ2ERM67 | XZ3ERM67 |
|   | XZ2ERM46 | XZ3ERM46 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | XZ2ERM40 | XZ3ERM40 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | XZ2ERM65 | XZ3ERM65 |
|   | XZ2ERM37 | XZ3ERM37 | Se .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | XZ2ERM63 | XZ3ERM63 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | XZ2ERM66 | XZ3ERM66 |
|   | XZ2ERM38 | XZ3ERM38 | <ul> <li>Image: A set of the set of the</li></ul> | XZ2ERM60 | XZ3ERM60 | and the second s | XZ2ERM43 | XZ3ERM43 |
|   | XZ2ERM47 | XZ3ERM47 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | XZ2ERM62 | XZ3ERM62 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | XZ2ERM42 | XZ3ERM42 |
|   | XZ2ERM50 | XZ3ERM50 | Ô                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | XZ2ERM61 | XZ3ERM61 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | XZ2ERD20 | XZ3ERD20 |
|   | XZ2ERM52 | XZ3ERM52 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | XZ2ERM68 | XZ3ERM68 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | XZ2ERD23 | XZ3ERD23 |
|   | XZ2ERM48 | XZ3ERM48 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | XZ2ERM44 | XZ3ERM44 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | XZ2ERD22 | XZ3ERD22 |
|   | XZ2ERM49 | XZ3ERM49 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | XZ2ERM45 | XZ3ERM45 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | XZ2ERN07 | XZ3ERN07 |
|   | XZ2ERM51 | XZ3ERM51 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | XZ2ERM57 | XZ3ERM57 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | XZ2ERD21 | XZ3ERD21 |
|   | XZ2ERM56 | XZ3ERM56 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | XZ2ERM58 | XZ3ERM58 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | XZ2ERC36 | XZ3ERC36 |
|   | XZ2ERM55 | XZ3ERM55 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | XZ2ERM59 | XZ3ERM59 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | XZ2ERC37 | XZ3ERC37 |
|   | XZ2ERM54 | XZ3ERM54 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | XZ2ERM69 | XZ3ERM69 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | -        | XZ3ERR04 |
| R | XZ2ERM39 | XZ3ERM39 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | XZ2ERM64 | XZ3ERM64 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | -        | XZ3ERR05 |



### Marlene twisted lighting cable covered in hairy-effect fabric

#### Specifications:

Fabric-covered hairy-effect lighting cable FRRTX 300/300V 2x0,75 or 3x0,75 depending on the version chosen CE certified Double insulation (additional transparent sheathing) CEI 20-20 CEI 20-35 RoHS compliant Diameter: 6,2 mm 2x0,75 or 6,6 mm 3x0,75

MADE IN ITALY



XZ2TP13

XZ2TP09

XZ2TP01









XZ2TP06



### **OUTDOOR CABLES**

#### Outdoor EIVA cables

Our outdoor cables are also compatible with the EIVA system - Creative-Cables' water and rainproof outdoor lighting system.

#### Specifications:

H05RN-F 300/500Vac 2x1mm<sup>2</sup>


Rubber sheathed flexible round IMQ-HAR Cable DOUBLE INSULATION under textile braid. Standard reference: EN 50525-2-11, Low Voltage European Directive No. 2014/35/EU, Products meeting the safety objectives of Low Voltage Directive 2014/35/EU (Annex I). IMQ-HAR certificate No. CA01.00683, DoP No. 0015.

Diameter: 6,8mm 2x0,75mm<sup>2</sup> or 7,8mm 3x0,75mm<sup>2</sup>.

The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 50 meters in length.

MADE IN ITALY











N° CA01.00683, DoP N° 0015

XZ2SM09

## LARGE SECTION CABLES

Our large section (3x1,50mm<sup>2</sup>) cables will help you when you require some extra power: multi sockets, power leads, wall installations, extension cables. Choose among the offered styles (round, twisted) for what best serves your purpose: they are incredibly flexible, because we use high quality PVC to avoid bulges or wrinkles. All of our large section cables are IMQ-HAR certified, the highest quality standard in Europe. Every single product is designed and Made in Italy.

### Large round silk-effect cables


Silk-effect cables have a bright solid finish, which is elegant yet informal. Shiny as silk, they can bring colour wherever needed.

#### Specifications:

H05VV-F 300/500Vac 3x1,50mm<sup>2</sup> Flex Round IMQ-HAR Cable DOUBLE INSULATION under textile braid. Standard reference: EN 50525-2-51, IMQ-HAR approval No. A0644, DoP No. 0019. Diameter: 8,5mm. The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 50 meters in length. MADE IN ITALY











### Large round natural fabric cables

Cotton cables have pastel colours and warm tones. Cotton has a natural look and matches cozy and minimal environments. Ideal for those who prefer a "raw" feeling.

#### Specifications:

H05VV-F 300/500Vac 3x1,50mm<sup>2</sup> Flex Round IMQ-HAR Cable DOUBLE INSULATION under textile braid. Standard reference: EN 50525-2-51, IMQ-HAR approval No. A0644, DoP No. 0019. Diameter: 8,5mm. The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 50 meters in length. MADE IN ITALY





XZ15RN01

XZ15RN03



























#### Large twisted silk-effect cables

Thanks to their special twisted texture, they look like braids: but believe us, they are real electric cables! Silk-effect cables have a bright solid finish, which is elegant yet informal.

#### Specifications:

FRRTX 300/300V<sub>ac</sub> 3x1mm<sup>2</sup>

Flex Twisted Visible Spiral Cable DOUBLE INSULATION (additional transparent sheath), braided woven cloth textile sleeve.

Standard reference: Low Voltage European Directive No. 2014/35/EU. Diameter: 9mm.

The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 50 meters in length.











CE

XZ15TM09

XZ15TM13

Large twisted natural cables

Thanks to their special twisted texture, they look like braids: but believe us, they are real electric cables! Linen and Jute have a natural feeling which will bring warmth and coziness to any room.

#### Specifications:

FRRTX 300/300Vac 3x1mm<sup>2</sup>


Flex Twisted Visible Spiral Cable DOUBLE INSULATION (additional transparent sheath), braided woven cloth textile sleeve Standard reference: Low Voltage European Directive No. 2014/35/EU.

Diameter: 9mm.

The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 50 meters in length.

MADE IN ITALY











Covered with soft flock and raw jute in order to increase their diameters, cables can become a nautical rope with various thicknesses, colours and finishes. Inspired by the maritime style, they can create a totally unexpected suspension lamp. Every single product is designed and Made in Italy.

#### Rope cables

The electrical cable becomes an electrical cord. The double covered electrical cables are covered with soft flocked and raw jute in order to reach a 16mm diameter. You can use XL electrical cord covered in raw jute to match our new natural wood roses and lamp holders in order to create suspension lamps of great effect.

#### Specifications:

FRRTX 300/300Vac 3x0,75mm<sup>2</sup> Visible Spiral Flexible Cable which is double insulated, under the fabric braid. Standard reference: Low Voltage European Directive No. 2014/35/EU Diameter 16, 24 or 30mm. The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 20 meters in length. MADE IN ITALY

#### XL - 16mm







CLS16COT





CLS24COTLIN








3XL - 30mm









**CLS30LIN** 

CLS30COT









## **R**OPE CABLES



























CLS24COUNTRY









#### Jute rope cable

## FLAT CABLES

This 2XL jute rope cable is featured by a double coating: the round electric cable covered in RN06 jute is enriched by the external coating of the braided jute cord thus reaching a 24mm external diameter. The round cable covered in 2x0.75 RN06 Jute runs inside the cord cover: in this way you can treat the cord like any other cable, without worrying about how to connect it.


#### Specifications:

H03VV-F 300/300Vac 2x0,75mm<sup>2</sup> Flex Round IMQ-HAR Cable DOUBLE INSULATION under textile braid. Standard reference: EN 50525-2-11, Low Voltage European Directive No. 2014/35/EU, IMQ-HAR approval No. A0643, DoP No. 0008. Cable diameter: 6,2mm 2x0,75mm<sup>2</sup> Cover cable diameter: 24mm The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 20 meters in length. MADE IN ITALY

#### 2XL - 24mm









IEMMEQU <> HAR> N° A0643, DoP N° 0008

Flat cables are Creative-Cables solution allowing you to both create wonderful string-light for your garden parties and beautiful indoor designs through the Filé System. Choose from a selection of trendy colors and add the necessary accessories for your compositions.

#### Flat cables

#### Specifications:

H05RNH2-F 300/500 Vac Rectangular flat shaped 2x1,5mm<sup>2</sup> cable Standard reference: EN 50525-2-82 and IEC 60245. The cable is sold by the meter, multiple orders will be delivered in one piece up to a maximum of 25 meters in length.



















XZ15ECC37

98

















XZ15CF15

XZ15CM













## COMPONENTS - CEILING ROSES

A ceiling rose is an essential accessory for any design lamp. We offer a wide range of shapes, sizes and materials that will easily match any home style.

#### Metal ceiling roses

Among our best selling products, metal ceiling roses are available in 6 finishes. We also created the 2-3-4-5-7 hole versions to create multiple pendants: the side-holes roses can help design a totally customized wall or ceiling light fitting array.

Cable clamps can be made from plastic or metal and have different lengths, for an even more personalised solutions.

#### **Glossy white**



KRM57FCVB 1 hole ø 120mm H 25mm



ø 120mm H 25mm

KRM573FVB 3 hole ø 120mm H 25mm

Available with 2 kinds of cable clamps





KRM575FVB

5 hole ø 120mm H 25mm



PC1SER01

SERP1BI

KRM12FC2LVB 1 hole + 2-side holes ø 120mm

H 25mm



KRM57FCVBTERP 1 hole ø 120mm H 25mm



KRM573FVBTERP 3 hole ø 120mm H 25mm



KRM575FVBTERP 5 hole ø 120mm H 25mm



KRM12FC2LVBTERP 1 hole + 2-side holes ø 120mm H 25mm



KRM572FVB 2 hole ø 120mm H 25mm



KRM574FVB 4 hole ø 120mm H 25mm




KRM576FVB 7 hole ø 120mm H 25mm



KRM12SF4LVB 4-side holes ø 120mm H 25mm



KRM572FVBTERP 2 hole ø 120mm H 25mm



KRM574FVBTERP 4 hole ø 120mm H 25mm




KRM576FVBTERP 7 hole ø 120mm H 25mm



#### Matte white

#### Black





Available with 2 kinds of cable clamps

ø 120mm H 25mm



PC1SER01



SERM1VB



0



KRM83FCVB0

1 hole ø 83mm H 25mm

0

KRM832F4LVB0

2 hole + 4-side holes ø 83mm

H 25mm

KRM572FVB0

2 hole ø 120mm H 25mm

KRM574FVB0

4 hole ø 120mm H 25mm

KRM576FVB0

7 hole ø 120mm H 25mm

KRM83FCVB0TERM

1 hole ø 83mm H 25mm

0

KRM832F4LVB0TERM

2 hole + 4-side holes ø 83mm

H 25mm

KRM572FVB0TERM

2 hole ø 120mm H 25mm

6


KRM574FVB0TERM

4 hole ø 120mm H 25mm


KRM576FVB0TERM

7 hole ø 120mm H 25mm

KRM831F4LVB0TERM 1 hole + 4-side holes ø 83mm H 25mm



KRM57FCVB0TERM 1 hole ø 120mm H 25mm



KRM573FVB0TERM 3 hole ø 120mm h 25mm



KRM575FVB0TERM 5 hole ø 120mm H 25mm



KRM12FC2LVB0TERM 1 hole + 2-side holes ø 120mm H 25mm



KRM12SF4LVB0 4-side holes ø 120mm H 25mm



KRM57FCVB0TERM4 1 hole with 70mm cable clamp 120mm H 25mm



KRM57FCVB0TERM5 1 hole with 150mm cable clamp 120mm H 25mm





KRM83FCVN 1 hole ø 83mm H 25mm



KRM832F4LVN 2 hole + 4-side holes ø 83mm H 25mm



KRM572FVN 2 hole ø 120mm H 25mm



KRM574FVN 4 hole ø 120mm H 25mm



KRM576FVN 7 hole ø 120mm H 25mm




KRM12SF4LVN 4-side holes ø 120mm H 25mm




KRM83FCVNTERM 1 hole ø 83mm H 25mm



KRM832F4LVNTERM 2 hole + 4-side holes ø 83mm H 25mm



KRM572FVNTERM 2 hole ø 120mm H 25mm



KRM574FVNTERM 4 hole ø 120mm H 25mm



KRM576FVNTERM 7 hole ø 120mm H 25mm



1 hole with 70mm cable clamp 120mm H 25mm



KRM831F4LVN 1 hole + 4-side holes ø 83mm H 25mm



KRM57FCVN 1 hole ø 120mm H 25mm



KRM573FVN 3 hole ø 120mm H 25mm



KRM575FVN 5 hole ø 120mm H 25mm



KRM12FC2LVN 1 hole + 2-side holes ø 120mm H 25mm



1 hole with 150mm cable clamp 120mm H 25mm



#### Chrome

ø 120mm H 25mm

Available with 2 kinds of cable clamps

PC1SER00

SERM1CR

104

#### Copper

ø 120mm H 25mm

Available with 2 kinds of cable clamps

PC1SER00

SERM1RA






KRM573FRA 3 hole ø 120mm H 25mm







KRM12FC2LRA 1 hole + 2-side holes ø 120mm H 25mm



1 hole with 150mm cable clamp 120mm H 25mm






KRM57FCCRTERM KRM572FCR 1 hole ø 120mm H 25mm 2 hole ø 120mm H 25mm





7 hole ø 120mm H 25mm





KRM57FCCRTERM4 1 hole with 70mm cable clamp 120mm H 25mm

KRM572FCRTERM

2 hole ø 120mm H 25mm

KRM574FCRTERM

4 hole ø 120mm H 25mm

KRM576FCRTERM

7 hole ø 120mm H 25mm







KRM12SF4LCR 4-side holes ø 120mm







H 25mm



KRM573FCRTERM

3 hole ø 120mm H 25mm

KRM575FCRTERM

0

KRM57FCCR

1 hole ø 120mm H 25mm

KRM573FCR

3 hole ø 120mm H 25mm

J.

KRM575FCR

5 hole ø 120mm H 25mm


H 25mm


KRM57FCCRTERM5


1 hole with 150mm cable clamp

120mm H 25mm

1













KRM57FCRATERM 1 hole ø 120mm H 25mm



KRM573FRATERM 3 hole ø 120mm H 25mm



KRM575FRATERM 5 hole ø 120mm H 25mm



KRM12FC2LRATERM 1 hole + 2-side holes ø 120mm H 25mm




KRM572FRA 2 hole ø 120mm H 25mm



KRM574FRA 4 hole ø 120mm H 25mm



KRM576FRA 7 hole ø 120mm H 25mm



KRM12SF4LRA 4-side holes ø 120mm H 25mm



KRM572FRATERM 2 hole ø 120mm H 25mm



KRM574FRATERM 4 hole ø 120mm H 25mm



KRM576FRATERM 7 hole ø 120mm H 25mm



120mm H 25mm



#### **Brass**

ø 120mm H 25mm

Available with 2 kinds of cable clamps

PC1SER00

SERM1G0

106

#### **Pearl black**

ø 120mm H 25mm

Available with 2 kinds of cable clamps

PC1SER02

SERM1BR





KRM573FBR 3 hole ø 120mm H 25mm







KRM575FBR 5 hole ø 120mm H 25mm



KRM12FC2LBR 1 hole + 2-side holes ø 120mm H 25mm



KRM57FCBRTERM5 1 hole with 150mm cable clamp 120mm H 25mm





KRM57FCGOTERM 1 hole ø 120mm H 25mm

KRM57FCG0

1 hole ø 120mm H 25mm

KRM573FG0

3 hole ø 120mm H 25mm

J.

KRM575FG0

5 hole ø 120mm H 25mm

KRM12FC2LG0 1 hole + 2-side holes ø 120mm

H 25mm

KRM57FCG0TERM5

1 hole with 150mm cable clamp

120mm H 25mm




KRM573FGOTERM





KRM576FG0 7 hole ø 120mm H 25mm





KRM57FCG0TERM4 1 hole with 70mm cable clamp 120mm H 25mm























3 hole ø 120mm H 25mm


0

0









KRM575FG0TERM 5 hole ø 120mm H 25mm



KRM57FCBRTERM 1 hole ø 120mm H 25mm



KRM573FBRTERM 3 hole ø 120mm H 25mm



KRM575FBRTERM 5 hole ø 120mm H 25mm



KRM12FC2LBRTERM 1 hole + 2-side holes ø 120mm H 25mm




KRM572FBR 2 hole ø 120mm H 25mm



KRM574FBR 4 hole ø 120mm H 25mm



KRM576FBR 7 hole ø 120mm H 25mm




KRM12SF4LBR 4-side holes ø 120mm H 25mm



KRM572FBRTERM 2 hole ø 120mm H 25mm



KRM574FBRTERM 4 hole ø 120mm H 25mm



KRM576FBRTERM 7 hole ø 120mm H 25mm



120mm H 25mm



#### **Brushed titanium**

ø 120mm H 25mm



ø 83mm. H 25mm

Available with 2 kinds of cable clamps




PC1SER02



SERM1TIS


108



0




KRM831F4LTISTERM 1 hole + 4-side holes ø 83mm H 25mm




KRM57FCTISTERM 1 hole ø 120mm H 25mm



KRM573FTISTERM 3 hole ø 120mm H 25mm



KRM575FTISTERM 5 hole ø 120mm H 25mm




KRM12FC2LTISTERM 1 hole + 2-side holes ø 120mm H 25mm







KRM12SF4LTIS 4-side holes ø 120mm H 25mm



1 hole with 70mm cable clamp 120mm H 25mm



KRM83FCTISTERM

1 hole ø 83mm H 25mm

KRM832F4LTISTERM

2 hole + 4-side holes ø 83mm

H 25mm

KRM572FTISTERM

2 hole ø 120mm H 25mm

KRM831F4LTIS 1 hole + 4-side holes ø 83mm H 25mm



KRM57FCTIS 1 hole ø 120mm H 25mm




KRM573FTIS 3 hole ø 120mm H 25mm



KRM574FTISTERM 4 hole ø 120mm H 25mm















KRM575FTIS 5 hole ø 120mm H 25mm



Available with 2 kinds of cable clamps

PC1SER00

SERM10TS

KRM12FC2L0TSTERM

ø 120mm H 25mm

Brushed bronze



KRM575F0TSTERM 5 hole ø 120mm H 25mm

1 hole + 2-side holes ø 120mm H 25mm





























0

KRM83SF4L0TS

4-side holes ø 83mm H 25mm

0

KRM831F4L0TSTERM 1 hole + 4-side holes ø 83mm

KRM57FC0TSTERM

1 hole ø 120mm H 25mm



KRM12FC2LTIS 1 hole + 2-side holes ø 120mm H 25mm

6

Ь KRM576FTISTERM 7 hole ø 120mm H 25mm

0

KRM576FTIS 7 hole ø 120mm H 25mm

KRM83FCTIS

1 hole ø 83mm H 25mm

0

KRM832F4LTIS

2 hole + 4-side holes ø 83mm

H 25mm

KRM572FTIS

2 hole ø 120mm H 25mm

KRM574FTIS

4 hole ø 120mm H 25mm



KRM83FC0TS 1 hole ø 83mm H 25mm



KRM832F4L0TS 2 hole + 4-side holes ø 83mm H 25mm



KRM572F0TS 2 hole ø 120mm H 25mm



KRM574F0TS 4 hole ø 120mm H 25mm




KRM576F0TS 7 hole ø 120mm H 25mm



KRM12SF4LOTS 4-side holes ø 120mm H 25mm




KRM83FC0TSTERM 1 hole ø 83mm H 25mm



KRM832F4L0TSTERM 2 hole + 4-side holes ø 83mm H 25mm



KRM572F0TSTERM 2 hole ø 120mm H 25mm



KRM574F0TSTERM 4 hole ø 120mm H 25mm



KRM576F0TSTERM 7 hole ø 120mm H 25mm



1 hole with 70mm cable clamp 120mm H 25mm



KRM831F4L0TS 1 hole + 4-side holes ø 83mm H 25mm



KRM57FC0TS 1 hole ø 120mm H 25mm




KRM573F0TS 3 hole ø 120mm H 25mm



KRM575F0TS 5 hole ø 120mm H 25mm



KRM12FC2LOTS 1 hole + 2-side holes ø 120mm H 25mm



1 hole with 150mm cable clamp 120mm H 25mm



#### **Brushed copper**





ø 83mm. H 25mm

Available with 2 kinds of cable clamps



PC1SER00



SERM1RAS



KRM831F4LRASTERM 1 hole + 4-side holes ø 83mm H 25mm

0

KRM83SF4LRAS

4-side holes ø 83mm H 25mm




KRM57FCRASTERM 1 hole ø 120mm H 25mm




KRM573FRASTERM 3 hole ø 120mm H 25mm



KRM575FRASTERM 5 hole ø 120mm H 25mm



KRM12FC2LRASTERM 1 hole + 2-side holes ø 120mm H 25mm



KRM83FCRAS

1 hole ø 83mm H 25mm


0

KRM572FRAS

2 hole ø 120mm H 25mm

KRM574FRAS


4 hole ø 120mm H 25mm




KRM572FRASTERM 2 hole ø 120mm H 25mm

KRM83FCRASTERM


1 hole ø 83mm H 25mm



KRM574FRASTERM 4 hole ø 120mm H 25mm



7 hole ø 120mm H 25mm



120mm H 25mm

KRM57FCRASTERM5 1 hole with 150mm cable clamp 120mm H 25mm






#### Flush-mounted ceiling rose

SERM1RU

This wall-mounted ceiling rose combines functionality and aesthetics: thanks to its reduced thickness, it provides a wonderful concealed effect that blends in harmoniously with the design of the room and is compatible with both masonry and plasterboard ceilings and walls.



### Metal painted ceiling rose









0

KRM12SF4LRAS

4-side holes ø 120mm

H 25mm

KRM576FRASTERM

KRM12FC2LRAS 1 hole + 2-side holes ø 120mm H 25mm

KRM831F4LRAS

1 hole + 4-side holes ø 83mm

H 25mm

KRM57FCRAS

1 hole ø 120mm H 25mm


KRM573FRAS


3 hole ø 120mm H 25mm

DI.

KRM575FRAS

5 hole ø 120mm H 25mm









KRM57FCRUTERM 1 hole ø 120mm H 25mm

KRM12SF4LRU 4-side holes ø 120mm H 25mm





**Italian woodworking craftsmanship**, natural simplicity that never goes out of style.





### Wood ceiling roses

We first designed them for our rope cables and offered in three basic colours, but they are so extremely versatile that we've created more options to give you more possibilities to style your interior as you prefer: natural wood can be painted or polished as desired. Each ceiling rose has a matching wooden lamp holder.

#### 120 cm diameter






Ø 120mm, H 32mm



#### **120 cm diameter multi-hole**



88 cm diameter





#### Leather-covered wooden ceiling roses

Add a touch of glamour and elegance with our leather covered wooden ceiling roses. The leather is handcrafted and sewn in Italy.




#### Silicone ceiling roses

Silicone ceiling roses are resistant, colourful and easy to install: you won't need to drill into your ceiling. Last but not least, they have a very attractive price! Each ceiling rose has a matching silicone lamp holder.




#### Cable Cup®

Cable Cup® was developed by Swedish designers Jonas Forsman and Lars Wettre and has won several design awards. Made of elastic silicone, it's unique and very easy to mount thanks to its flexibility.



| KSILICONROSARA |
|----------------|
| KSILICONROSBLU |
| KSILICONROSROS |
| KSILICONROSTUR |
| KSILICONROSVIO |
| KSILICONROSCOF |
| KSILICONROSNOC |
| KSILICONROSLIM |







#### Hand painted ceramic ceiling roses

They are entirely manufactured in Italy: each item is unique and slight differences are due to the hand painting process.





0

ca

KR44153F

KR44155F





KR44168F







KR73165F



•

0

KR44160F

KR44154F



#### Ceramic ceiling roses

These 7-hole rosettes are hand-made in Italy: each piece is unique! Due to their natural look, they are perfect for a country or shabby chic home. Each ceiling rose has a matching ceramic lamp holder.



#### Porcelain ceiling roses

Porcelain is a timeless classic and is an elegant solution that will make your wall or ceiling lamps absolutely unique. Each ceiling rose has a matching porcelain lamp holder.



Ø 105mm, H 30mm

KR44164F

ca






KRSPAZZ

KRSPROS

KRSPGRI






## COMPONENTS - LAMP HOLDERS

A lamp holder is an essential accessory for any design lamp. We offer a wide range of shapes, sizes and materials that will easily match any living or working environment. Lamp Holders can match or contrast the ceiling roses: it's up to you! All our lamp holders are IMQ-ENEC certified, the highest quality standard in Europe.



### Metal lamp holders

Our best-selling lamp holders, offered in six different finishes and different styles: metal, vintage, milled metal and double-ferrule. These last can be used with lampshades too! Each lamp holder has a matching metal ceiling rose.









E27, Ø 42mm, H 62mm with 150mm cable clamp









25927

25934

25925

25930

KBM4367PE

KBM4367VE

KBM4367SB

KBM4367MU

E14, Ø 28mm, H 58mm



14MRATFTERM 14MOTTFTERM



KBM4551PE

KBM4551VE

KBM4551SB

KBM4551RU

E14, Ø 28mm, H 58mm

PL14MARTF

PL14MRATF

PL14M0TTF

PL27MBRTF

PL27MARTF

PL27MRATF

PL27M0TTF

PL27MZVCFU

PL27MZVRUG

PL27MBRTFTERM

PL27MARTFTERM

PL27MRATFTERM

PL27M0TTFTERM

#### E27, Ø 40mm, H 55mm



E27, Ø 50mm, H 72mm









KBR27ALCF

KBR27ALRA

KBR27ALG0

E27, Ø 45mm, H 70mm





#### P-Light

P-Light is the unique E14 fitting lamp holder kit allowing you to create special lighting solutions with tubular light bulbs. You'll be able to create single or multiple pendant suspensions, perfect to illuminate rooms of different dimensions.

Combine up to 15 pendants by matching P-Light with our selection of decorated Rose-One System XXL ceiling roses or pair it with smaller roses to create the pendant lamp that best matches your interior.

From monochromatic shades up to brushed metal finishes, this little yet functional lamp holder kit is available in a variety of versions. This makes it suitable for different kinds of styles and interior design needs.







### Thermoplastic E27 wall or ceiling lampholders

The lamp holder with E27 socket is the simple and functional solution to create a wall or ceiling light point that can offer complementary light and give a refined decorative note to any wall. Choose the finish that best matches your interiors. Thanks to the E27 socket, you can decide which bulb to match from our wide range of E27 decorative LED bulbs.



E27, Ø 83mm, H 58,2mm







E27, Ø 83mm, H 58,2mm





E27, Ø 40mm, H 67mm

E27, Ø 38mm, H 67mm

124





PL14BBTF





E14, Ø 28mm, H 55mm





PL27BBTF

PL27BNTF

PL27B0TF

E27, Ø 40mm, H 54mm





PL27BBFIN

PL27BNFIN

E27, Ø 40mm, H 79mm



#### Silicone E27 lamp holders

Silicone lamp holders are resistant, colourful and easy to install. Last but not least, they have a very attractive price! Each lamp holder has a matching silicone ceiling rose.

#### KSILICONLAMPBIA KSILICONLAMPARA KSILICONLAMPNER KSILICONLAMPBLU KSILICONLAMPVER KSILICONLAMPROS KSILICONLAMPTUR KSILICONLAMPGIA KSILICONLAMPAZZ KSILICONLAMPVIO KSILICONLAMPRSS KSILICONLAMPCOF KSILICONLAMPGRI KSILICONLAMPNOC E27, Ø 47mm, H 55mm KSILICONLAMPFUC KSILICONLAMPLIM

#### Leather covered E27 wooden lamp holders

Add a touch of glamour and elegance with our leather-covered wooden lampholders. The leather is handcrafted and sewn in Italy.



#### Ceramic E27 lamp holders



#### Wood E27 lamp holders

Specifically designed for our rope cables and offered in three basic colours, they are extremely versatile: natural wood can be painted or polished as desired. Each lamp holder has a matching wooden ceiling rose.



E27, Ø 50mm, H 110mm

126




E27, Ø 50mm, H 110mm



#### Porcelain lamp holders

Porcelain is a timeless classic and is an elegant solution that will make your wall or ceiling lamps absolutely unique. Each lamp holder has a matching porcelain ceiling rose.



#### Cement E27 lamp holders

Concrete is a building material that has recently established itself as a real furnishing element inside houses and commercial activities and it's perfect to expose your favourite design light bulbs!





E27, Ø 60mm, H 90mm

128



## COMPONENTS - CAGES AND LAMPSHADES

Do you want to enrich and customize your pendant? Choose among Creative-Cables lampshades: naked frames, handmade ceramic, metal discs, fabric shades and more!

#### Bulb cages

Our lampshades laid bare! Choose naked lampshades for a surprising scenic effect to create modern pendant lamps with one or more pendant and complete your light with a design bulb in plain sight.



E27, L 350mm, H 240mm



E27, L 280mm, H 240mm

131

#### Lampshades

If you are looking for a lampshade to complement your hanging, table or ceiling lamp, you will find solutions in different materials and sizes to suit the many interior design needs. Handmade ceramic lampshades perfect for kitchens and dining tables, metal spotlight to create contemporary atmospheres, classic shades for table and wall lamps, funny wooden lampshade in limited editions: we have a solution for many tastes and interior design needs.


#### **Metal shades**
















DDBIA

DDNER


DDRASOTS

E27, L 380mm, H 200mm





E27, L 300mm, H 150mm



E27, L 300mm, H 60mm













month of

Image: bit of the second s

L 130mm, H 190mm

**Ceramic shades** 




Near Florence, there is a place of excellence, where the ancient pottery tradition meets the inventiveness of Creative-Cables' designers to conjure up lamp holders, ceiling roses and lampshades of the highest quality. And the expert hands of the team of painters decorate every single component to give you unique 100% made-in-Italy products.




E27, L 305mm, H 140mm










From the heart of Tuscany, our lampshades are made by hand but created by passion.









E27, L 200mm, H 130mm



- PARCIE27TEGIV PARCIE27LIBIA PARCIE27ELPIN
- PARCIE27CAMAR
- PARCIE27TSARG
- PARCIE27TSRAM



PARCIE27RNGC E27, L 150mm, H 180mm





PARE272415BIA

PARE272415NEOR

PARE272415JUT



#### **Fibre lampshades**

#### Dome

|  | Ø 250mm       | Ø 350mm      | Ø 250mm       | Ø 350mm      |
|--|---------------|--------------|---------------|--------------|
|  | PAT1XS-CP0953 | PAT1M-CP0861 | PAT1XS-CP0938 | PAT1M-CP0846 |
|  | PAT1XS-CP0947 | PAT1M-CP0855 | PAT1XS-CP0951 | PAT1M-CP0859 |
|  | PAT1XS-CP1614 | PAT1M-CP1638 | PAT1XS-CP0948 | PAT1M-CP0856 |
|  | PAT1XS-CP0945 | PAT1M-CP0853 | PAT1XS-CP1341 | PAT1M-CP1337 |
|  | PAT1XS-CP1619 | PAT1M-CP1643 | PAT1XS-CP1620 | PAT1M-CP1644 |
|  | PAT1XS-CP1612 | PAT1M-CP1636 | PAT1XS-CP0933 | PAT1M-CP0841 |

#### Sphere



#### **Cement shades**



L 130mm, H 250mm


KPAC01CGL

KPAC02CGL

KPAC02CGD



L 150mm, H 220mm



Tub-E14



#### Make it double!

Beauty doubles with the Tub-E14 double version. The Tub-E14 shade has a minimalist design with a Scandinavian flair and is available in both metal and wood options with a pleasing contrast.





L 200mm, H 260mm

140

The Tub-E14 is the ideal lamp shade for anyone who enjoys using a spotlight. It provides a directed beam of light that creates an ambiance and is designed to fit an E14 double ring lamp holder. Tub-E14 is a multi-purpose lighting solution that works well as a shade for a single or multiple pendant lamps or wall lights.





E14, L 60mm, H 300mm



## UFO UNCONVENTIONAL FLYING OBJECT

#### The project

We selected 7 famous & promising emerging artists, we chose two of their most representative artworks and we lit them up: this is how the UFO collection - Unconventional Flying Objects was born. 7 double-faced wooden disks, processed and printed in Italy, ready to become a wall or a suspension lamp. Well, actually two: both sides of the disk are illustrated with different designs! Men and women, cactus and pineapples, mandala and azulejos, ice cream and cupcakes, and not to forget fish, dogs and flamingoes: A surprising variety of subjects and colours that create playful, romantic or surreal atmospheres.







ODD





LPWUF008 Francesco Poroli

LPWUF003 Davide Bonazzi

LPWUF012

Annachiara Zaminato





Fernando Cobelo

LPWUF014 Carolina Zuniga

### UFO Natural and Colour

In addition to the line of illustrated UFOs, there are versions in natural and painted wood. Their minimal a captivating functional design is perfect for those who want to recreate a modern and Scandinavian style of furniture. Natural wood can be painted or varnished to suit your needs and your creative projects, while the painted version is distinguished by a palette of pastel colours, from the brightest to the most delicate, perfect for children's room, modern living rooms or kitchens.









## ACCESSORIES

Small things can make a difference: among our accessories you will find all the special components which can make your lamp 100% unique.

#### Pinocchio


Pinocchio is Creative Cables adjustable wall mount for pendant lamp: it is made in Italy out of 100% beachtree wood and it can be polished or painted as desired. The cable doesn't go through any holes, it is wrapped around ridged wooden supports at each end: we strongly recommend you to use it with Snake, Snake for lampshades and SnakeBis. Pinocchio makes it possible to hang a lamp onto a wall, even with a lampshade with a 50cm maximum diameter and a 3,365 kg maximum weight.





Pinocchio can also be adjusted at three different heights.

# ACCESSORIES AND FIXTURES







#### Pinocchio XL

Pinocchio XL is not a simple wall bracket! It is Creative-Cables' solution to hang your lamp where you need it, allowing you to adjust the distance and the position of the light source from the wall. Thanks to the groove in the last rod, the cable remains locked in a safe position.

Made (in Italy!) from untreated beechwood, it can be impregnated or painted with the colour you want. And if you wish to add a lampshade, you can complete your installation with the ceiling brackets included in the kit.





#### ZIGH-ZAGH

Zigh-Zagh is the ceiling support that allows you to create original pendant lamps, adapting both the shape and the length to every situation. Made in Italy, it can also be impregnated or painted with whichever colour you like. Included in the kit is a thin transparent thread and the ceiling hooks needed to hang up your creation.








#### Rolè

The Rolé wooden cable tie is an ideal wall fixture for creating beautiful wall lighting solutions in your indoor spaces. It can be used to decentralise the fall of a pendant lamp, or, thanks to the use of many cable ties in a sequence, by stretching the electric cable from one to the other, you can draw on your walls to design creative installations... and why not, you can use Rolé as a coat rack!

Rolé is made of 100% Italian-made wood and is available in two different finishes: beechwood and wenge-effect ash wood.








Archet(To) is Creative-Cables patented and Made in Italy solution to create a suspended lamp that can be hung onto a wall, even with a lampshade with a 70cm maximum diameter and a 3,365 kg maximum weight: Archet(To) bends according to the weight it is bearing. it has a light structure in transparent polycarbonate and can be used with Snake, Snake for lampshades and SnakeBis.











To mount Archet(To) on a wall lightpoint, you may want to use the designated bases in natural and made-in-Italy wood. The bases can be polished or painted as desired.





KRLQARC

KRLQARC02

KRLQARC03




#### Cable Clamps

150

Cable Clamps are not just a safety feature: they can actually be beautiful and decorative! The metal cable clamps are available in standard size (1,7cm) and XL size (7cm and 15cm).

#### Wall Fixtures

your cables exactly in the way you imagined!



#### Fairleads, hooks, decentralizers: these small pieces will give shape to your installation and allow you to run














#### Other accessories


Complete your project and satisfy your home-decorating urges with threaded tubes, threaded rods and wooden height adjusters. Some products are sold individually or in bulk boxes (10 or 100 pieces). Threaded tubes sizes available: 1cm - 1,5cm - 2cm - 2,5cm















PC10TIGE20

PC10TIGE25




#### Wooden feet Kit - table lamp support

These beechwood feet made in Italy have a supporting purpose, allowing you to transform a lampshade into a table lamp base. They are equipped with double-sided adhesive tape to secure the lampshade and felt pads on the underside to ensure protection and adherence to the supporting surface.

The wooden feet are available in different finishes to allow for a pleasant harmonious effect of your installation.





#### Taché, light bulb support

Taché, in Piedmontese means "to attach" or "to fix": our Taché is a support for light bulbs that allows you to transform a Globe 125 into an original table lamp. Designer Fabrizio Alessio has imagined to adapt William Middlebrook's idea (the paper clip) to the world of lighting, by drawing from its elegance and simplicity: just as the paper clip staples sheets of paper, Taché's super-light structure can staple the globe of any G125 bulb, leaving it suspended and in view. The Taché consists of two mirrored arms with an aluminium wire frame covered with a braid made from the fabric of our cables and two elegant Made in Italy wooden feet. As well as a decorative function, the covering sleeve protects the bulb's surface.



Tachè can be purchased as is or completed with one of our SnakeBis plug-in lamps to create a practical, modern and creative table lamp.











## MINI-UFO - REVERSIBLE WOODEN DISK FOR POSALUCE

Customizing your wooden Posaluce table lamp is easier with MINI UFO!

2 collections and numerous designs to create the unique table lamp. Perfect to decorate your room or as a gift: you just have to place the MINI-UFO over the central element of the Posaluce and add a light bulb. MINI UFOs are made of poplar wood and are reversible: you can choose which side you want to show and change it anytime you want! Processed and printed in Italy.

## MINI-UFO READING BALLSH\*T

The Reading Ballsh\*t collection states ironically the most common lies told by readers, illustrated in the unmistakable style of Lepalle.it: the collection is dedicated to readers, who are known to be the finest and snobbiest liars.

Quotes are available both in English and in Italian: choose from the 4 available options the one that better suits your bookworm spirit!



## MINI-UFO PEMBERLYBOND

KCDWO

KCDW

Pemberley Pond is the name of the duo which illustrated the cover of "Goodnight Stories for Rebel Girls", one of the most successful children's books of recent years. Thanks to their unmistakable calligraphic style, 8 quotes inspired by the pleasure of reading have become 4 double-faced MINI-UFOs: they all share a playful and naive style and are ideal in the room of baby readers, to illuminate their first books and accompany them in the pleasure of reading.

KCDW







## **ELECTRICITY**

Every electrical accessory you can think of to create your own personal design: plugs, sockets, switches, dimmers, and much more.

All certified to the strictest Italian and European safety standards.

## Switches designed by Achille Castiglioni

The legendary 450, produced by the then VLM of Buccinasco, was born more than 50 years ago from the pencil of one of the greatest protagonists of Italian design, winner of nine Golden Compasses.

The sound of the operating 'click' has entered the collective imagination of every person since, as this small amazing object has been produced more than 25 million times.

But 450 isn't the only switch designed by Achille and Pier Giacomo Castiglioni: there are two "big brothers" designed for floor and table lamps: the 661 and the 662.





158

CAST450T





CAST662N



FONDAZI Special thanks to the ONEACHI Achille Castiglioni LLECAST Foundation for the support LIONI

#### Switches


Our switches are ideal for creating your table or floor lamp on your own.




#### Plugs and sockets

Our plugs and sockets are ideal for creating your table or floor lamp wiring on your own.













82511-E

#### Dimmer

Dimmers let you adjust the light intensity of a light bulb according to your personal need.



#### Electric accessories

Splicing connectors are essential for completing your lighting installations. They are sold individually or in bulk boxes (10 or 100 pieces).



M0R412

M0R413

## Connection kit for flush-mounted ceiling roses

The connection kit for suspension with flush-mounted ceiling rose enables fast and secure connections. The plastic box acts as insulation, protecting the connectors inside and it is equipped with two cable clamps, one on each side, which ensure the safety and solidity of the cables.



160



DIM551010





M0R415

#### Adaptors for tracks

Thanks to this multiadaptor you can enrich your electrified track with some suspended lights made with our fabric cables, that can be placed and mounted where desired.







#### A60 - E27



DL700200 H 106mm, L 60mm 7W - 2700K - 806 Lm

CBL700182



CBL700138

H 105mm, L 60mm

3W - 2000K - 150 Lm

H 104mm, L 60mm 7,5W - 2700K - 806 Lm



CBL700100 H 108mm, L 60mm 6.5W - 3000K - 450 Lm





DL700343 H 70mm, L 126mm 12W - 2700K - 1800 Lm

CBL700101

H 108mm, L 60mm

6.5W - 2700K - 806 Lm



H 70mm, L 126mm 15W - 2700K - 2200 Lm





DL700345



H 106mm, L 60mm 7W - 2700K - 806 Lm







## BULBS



DL700289 H 106mm, L 60mm 7W - 2700K - 806 Lm



DL700137 H 105mm, L 60mm 3W - 2200K - 150 Lm



DL700170 H 104mm, L 60mm 8W - 2700K - 1055 Lm



CBL700117 H 108mm, L 60mm 7W - 2700K - 806 Lm



DL700171 H 104mm, L 60mm 8W - 4000K - 1055 Lm



CBL700118 H 108mm, L 60mm 8W - 2700K - 1050 Lm



G45 - E27



DL700181 H 145mm, L 64mm 5W - 2000K - 150 Lm



DL700136 H 145mm, L 64mm 4W - 2000K - 400 Lm



DL700312 H 64mm, L 146mm 5W - 2000K - 250 Lm



CBL700727 H 146mm, L 64mm 5W - 2200K - 280 Lm



DL700206 H 145mm, L 64mm 6W - 2700K - 540 Lm



CBL700143 H 146mm, L 64mm 5W - 2200K - 280 Lm



DL700318 H 140mm, L 64mm 5W - 2000K - 250 Lm



DL700144 H 146mm, L 64mm 5W - 2000K - 250 Lm



DL700119 H 145mm, L 64mm 7.5W - 2200K - 805 Lm



DL700675 H 78mm, L 45mm 2W - 2700K - 136 Lm



DL700672



DL700674

H 78mm, L 45mm

2.2W - 2700K - 136 Lm

DL700670

H 78mm, L 45mm

1.4W - 80 Lm

H 78mm, L 45mm 1.4W - 16 Lm

G45 - E14





CBL700148 H 78mm, L 45mm 3W - 2000K - 120 Lm

CBL700149 H 78mm, L 45mm 3W - 2200K - 150 Lm





DL700673 H 78mm, L 45mm 1.4W - 13 Lm



DL700671 H 78mm, L 45mm 1.4W - 75 Lm



DL700338 H 45mm, L 75mm 6W - 2700K - 806 Lm



DL700339 H 45mm, L 75mm 6W - 2700K - 806 Lm





DL700142 H 135mm, L 95mm 5W - 2000K - 250 Lm



DL700319 H 140mm, L 95mm 5W - 2000K - 250 Lm



DL7001110DA H 140mm, L 95mm 4W - 2200K - 400 Lm



CBL700111 H 138mm, L 95mm 4W - 2700K - 470 Lm

#### G125 - E27



DL700139 H 175mm, L 125mm



CBL700180 H 135mm, L 95mm 5W - 2000K - 150 Lm



DL700176 H 140mm, L 95mm 7W - 2700K - 806 Lm



DL700121 H 140mm, L 95mm 7,5W - 2200K - 805 Lm



CBL700165 H 140mm, L 95mm 7.5W - 2700K - 806 Lm



DL700726 H 135mm, L 95mm 5W - 2200K - 280 Lm



CBL700177 H140mm, L 95mm 7W - 2700K - 806 Lm



H 138mm, L 95mm 6W - 2700K - 540 Lm



DL700682 H 135mm, L 95mm 2W - 2000K - 40 Lm



DL700141 H 135mm, L 95mm 5W - 2200K - 280 Lm



DL700290 H 140mm, L 95mm 7W - 2700K - 806 Lm



DL700135 4W - 2000K - 400 Lm



DL700311 H 95mm, L 135mm 5W - 2000K - 250 Lm



CBL700725 H 125mm, L 175mm 5W - 2200K - 280 Lm



DL700320 H 175mm, L 125mm 5W - 2000K - 250 Lm



CBL700110 H 178mm, L 125mm 4W - 2700K - 470 Lm



CBL700108 H 175mm, L 125mm 6W - 2700K - 806 Lm



DL700249 H 176mm, L 125mm 6W - 2700K - 540 Lm



H 178mm, L 125mm 5W - 2700K - 180 Lm



CBL700174 H 175mm, L 125mm 7W - 2700K - 806 Lm



DL700233 H 175mm, L 125mm 4W - 2000K - 200 Lm



CBL700116 H 178mm, L 125mm 8W - 2700K - 1055 Lm



DL7001100DA H 178mm, L 125mm 4W - 2200K - 400 Lm



ES18G125DR H 172mm, L 125mm 4W - 2200K - 100 Lm





DL700179 H 125mm, L 175mm 5W - 2000K - 150 Lm









166



5W - 2200K - 280 Lm



DL700140 H 125mm, L 175mm 5W - 2000K - 250 Lm

DL700250











CBL700175 H 175mm, L 125mm 7W - 2700K - 806 Lm



DL700167 H 178mm, L 125mm 11W - 2700K - 1521 Lm



CBL700216 H 175mm, L 125mm 5W - 2000K - 250 Lm



DL700120 H 178mm, L 125mm 7,5W - 2200K - 805 Lm



DL700363 H 178mm, L 125mm 5W - 2500K - 100 Lm



DL700291 H 175mm, L 125mm 7W - 2700K - 806 Lm



CBL700166 H 178mm, L 125mm 7.5W - 2700K - 806 Lm



CBL700232 H 175mm, L 125mm 5W - 2000K - 250 Lm



DL700361 H 178mm, L 125mm 5W - 1800K - 270 Lm



DL700267 H 172mm, L 125mm 4W - 1900K - 150 Lm



#### G180 - E27



DL700234

H 215mm, L 180mm

5W - 2000K - 150 Lm



H 215mm, L 180mm 5W - 2000K - 250 Lm





H 283mm, L 200mm 8,5W - 2000K - 600 Lm



H 100mm, L 35mm 4W - 3000K - 440 Lm





H 178mm, L 125mm 4W - 2000K - 360 Lm

#### A165 - E27



H 300mm, L 165mm 5W - 2000K - 250 Lm



H 290mm, L 160mm 11W - 2700K - 1520 Lm

#### G155 - E27



H 200mm, L 155mm 6W - 2700K - 540 Lm





DL700210.00A H 280mm, L 165mm 5W - 2000K - 150 Lm



DL700683

H 175mm, L 125mm

2W - 2000K - 40 Lm

CBL700694 H 300mm, L 165mm 5W - 2200K - 280 Lm





DL700239 H 195mm, L 155mm 7W - 2200K - 580 Lm



DL700314 H 290mm, L 160mm 12W - 2700K - 1520 Lm



H 283mm, L 200mm 12W - 2700K - 1520 Lm

Candle - E14





AL009 H 113mm, L 35mm 4W - 2700K - 300 Lm











DL700156

H 300mm, L 200mm 5W - 2000K - 250 Lm



CBL700102

168





8,5W - 2000K - 600 Lm



H 300mm, L 200mm 5W - 2200K - 280 Lm



DL700317 H 283mm, L 200mm 11W - 2700K - 1520 Lm



CBL700107 H 125mm, L 35mm 4W - 3000K - 440 Lm



CBL700109 H 100mm, L 35mm 4W - 3000K - 440 Lm





**DL700337** H 35mm, L 100mm 6W - 2700K - 806 Lm

#### Tubular - E27



**CBL700173** H 290mm, L 38mm 5.5W - 2000K - 470 Lm



**SEG50197** H 360mm, L 32mm 8W - 2000K - 380 Lm

#### Tubular - E14



H 120mm, L 30mm 4W - 2700K - 400 Lm



**DL700341** H 35mm, L 100mm 6W - 2700K - 806 Lm




**CBL700172** H 110mm, L 45mm 5W - 2000K - 360 Lm



**DL700193** H 315mm, L 75mm 8,5W - 2000K - 1055 Lm






#### Linear - S14d



Linear - E27









SEG50182 8 W - 300 Lm SEG50183

8 W - 350 Lm SEG50184

-----

8 W - 100 Lm SEG50181 8 W - 350 Lm 500mm

SEG50186 12 W - 440 Lm SEG50187 12 W - 500 Lm

SEG50188 12 W - 240 Lm

SEG50185 12 W - 560 Lm

#### **1000mm**

SEG50192 13 W - 720 Lm

SEG50194 13 W - 720 Lm

SEG50195 13 W - 350 Lm

SEG50190 13 W - 720 Lm





-----

SEG50219 13 W - 780 Lm



XXL - Porcelain

# U

**DL700247** H 153mm, L 200mm 6W - 2700K - 540 Lm



**DL700242** H 130mm, L 118mm 6W - 2700K - 540 Lm



**DL700244** H 215mm, L 165mm 6W - 2700K - 540 Lm



**DL700356** H 264mm, L 120mm 13W - 2700K - 1521 Lm



**DL700245** H 170mm, L 143mm 6W - 2700K - 540 Lm



**DL700349** H 265mm, L 260mm 10W - 2700K - 1000 Lm



**DL700351** H 355mm, L 180mm 13W - 2700K - 1521 Lm



**DL700357** H 314mm, L 150mm 13W - 2700K - 1521 Lm



**DL700240** H 170mm, L 125mm 6W - 2700K - 540 Lm



DL700350 H 227mm, L 220mm 10W - 2700K - 1000 Lm



**DL700352** H 305mm, L 150mm 13W - 2700K - 1521 Lm



DL700358 H 364mm, L 180mm 13W - 2700K - 1521 Lm



**DL700246** H 195mm, L 180mm 6W - 2700K - 540 Lm



**DL700241** H 200mm, L 125mm 6W - 2700K - 540 Lm



DL700353 H 200mm, L 95mm 13W - 2700K - 1521 Lm



**DL700276** H 207mm, L 110mm 6W - 2700K - 600 Lm




DL700279 H 163mm, L 90mm 6W - 2700K - 600 Lm



DL700277 H 202mm, L 80mm 6W - 2700K - 600 Lm



**DL700280** H 163mm, L 75mm 6W - 2700K - 600 Lm





DL700278 H 205mm, L 115mm 6W - 2700K - 600 Lm



**DL700281** H 165mm, L 103mm 6W - 2700K - 600 Lm



**DL700282** H 181mm, L 98mm 6W - 2700K - 600 Lm



#### Floating - E27

#### Kitchen Line - E27 - XXL



**SEG50051** H 90mm, L 90mm 8W - 2200K - 380 Lm



**SEG50043** H 110mm, L 200mm 8W - 2200K - 400 Lm




**SEG50046** H 165mm, L 125mm 8W - 2200K - 350 Lm



**SEG50056** H 165mm, L 125mm 8W - 2000K - 260 Lm



SEG50042 H 100mm, L 85mm 8W - 2200K - 380 Lm





DL700687 H 330mm, L 90mm 5W - 1000K - 90 Lm

DL700685 H 330mm, L 90mm 5W - 2500K - 90 Lm

#### Kitchen Line - E14





**DL700686** H 195mm, L 50mm 3W - 1000K - 90 Lm

**DL700684** H 195mm, L 50mm 3W - 2500K - 90 Lm

Dash - E27





**DL700324** H 100mm, L 170mm 6W - 2700K - 610 Lm

DL700326 H 66mm, L 66mm 4W - 2700K - 320 Lm

Dash - E14





**DL700348** H 76mm, L 66mm 4W - 2700K - 300 Lm

**DL700347** H 100mm, L 170mm 6W - 2200K - 570 Lm





**DL700681** H 330mm, L 90mm 5W - 2000K - 300 Lm



**DL700680** H 195mm, L 50mm 3W - 2000K - 250 Lm



#### Bottle Shaped - E27

# A AMMMA

**SEG50105** H 240mm, L 57mm 8W - 2200K - 360 Lm



**SEG50102** H 240mm, L 57mm 8W - 2200K - 360 Lm



**SEG50132** H 200mm, L 60mm 3.5W - 3600K - 40 Lm



H 240mm, L 57mm 8W - 2200K - 360 Lm



**SEG50129** H 240mm, L 57mm 3.5W - 2000K - 180 Lm



**SEG50101** H 240mm, L 57mm 8W - 2200K - 360 Lm




**SEG50131** H 200mm, L 60mm 3.5W - 2800K - 80 Lm



H 240mm, L 57mm 8W - 2800K - 250 Lm



**SEG50130** H 200mm, L 60mm 3.5W - 1800K - 80 Lm



#### XXL Bona - Pastel Line - E27



H 200mm, L 140mm

4W - 2200K - 100 Lm

DL700364 H 204mm, L 140mm 5W - 2700K - 180 Lm



**DL700264** H 200mm, L 140mm 4W - 2100K - 150 Lm

#### XXL Egg - Pastel Line - E27



H 270mm, L 180mm

4W - 2200K - 100 Lm



**ES18E180B0** H 270mm, L 180mm 4W - 2200K - 100 Lm









**ES18B140DR** H 200mm, L 140mm 4W - 2200K - 100 Lm



**DL700366** H 204mm, L 140mm 5W - 2400K - 90 Lm



**ES18E180DR** H 270mm, L 180mm 4W - 2200K - 100 Lm



**ES18E180DGLB** H 270mm, L 180mm 4W - 2200K - 100 Lm



#### XXL Cobble - Pastel Line - E27

ES18C220BRV H 245mm, L 220mm 4W - 2200K - 100 Lm



DL700190 H 245mm, L 220mm 4W - 2100K - 150 Lm

#### Art Line - E27



SEG50144 H 145mm, L 85mm 8W - 2200K - 300 Lm



SEG50152 H 140mm, L 100mm 12W - 2200K - 350 Lm



SEG50148

H 140mm, L 100mm

8W - 2200K - 330 Lm

178



ES18C220B0

H 245mm, L 220mm

4W - 2200K - 100 Lm





SEG50156 H 145mm, L 40mm 12W - 2200K - 500 Lm

SEG50145

H 150mm, L 65mm

8W - 2200K - 300 Lm



SEG50160 H 95mm, L 135mm 10W - 2200K - 500 Lm



H 245mm, L 220mm 4W - 2200K - 100 Lm



ES18C220DGLB H 245mm, L 220mm 4W - 2200K - 100 Lm



H 500mm, L 65mm 8W - 2200K - 350 Lm

Art Line - S14d

m

SEG50175 H 50mm, L 485mm 8W - 2200K - 350 Lm





SEG50172 H 240mm, L 140mm 8W - 2200K - 350 Lm

SEG50171 H 200mm, L 190mm 8W - 2200K - 350 Lm

#### Other shapes - E27



H 130mm, L 125mm 5W - 2000K - 110 Lm



H 122mm, L 80mm 5W - 2000K - 250 Lm





H 130mm, L 125mm 5W - 2000K - 150 Lm



H 440mm, L 120mm 8,5W - 2000K - 600 Lm



H 360mm, L 160mm 5W - 2000K - 250 Lm

DL700186 H 360mm, L 160mm 5W - 2000K - 150 Lm





SEG50159 H 135mm, L 115mm



8W - 2200K - 500 Lm



DL700335





SEG50176



















SEG50157 H 125mm, L 75mm 12W - 2200K - 500 Lm















SEG50173 H 250mm, L 165mm 8W - 2200K - 350 Lm



DL700259 H 175mm, L 145mm 3W - 2000K - 90 Lm



DL700321 H 360mm, L 180mm 8,5W - 2000K - 250 Lm



DL700187 H 365mm, L 315mm 5W - 2000K - 250 Lm



DL700243 H 112mm, L 64mm 6W - 2700K - 540 Lm



SEG50407 H 100mm, L 60mm 12W - 2200K - 440 Lm



DL700188 H 365mm, L 315mm 5W - 2000K - 150 Lm





DL700237 H 307mm, L 110mm 5W - 2000K - 150 Lm



AL102 H 80mm, L 470mm 4W - 3000K - 150 Lm



DL700205 H 87mm, L 50mm 4W - 2700K - 330 Lm



DL700304 H 140mm, L 185mm 5W - 2000K - 150 Lm



DL700238 H 307mm, L 110mm 5W - 2000K - 250 Lm



DL700294 H 176mm, L 125mm 3W - 2000K - 140 Lm



DL700131 H 102mm, L 63mm 5W - 2700K - 400 Lm



DL700145 H 200mm, L 200mm 5W - 2000K - 250 Lm



DL700191 H 330mm, L 180mm 8,5W - 2000K - 1055 Lm



DL700354 H 197mm, L 190mm 10W - 2700K - 1000 Lm



DL700132 H 125mm, L 80mm 7W - 2700K - 600 Lm



DL700223 H 90mm, L 275mm 26W - 3000K - 4000 Lm



H 440mm, L 120mm 8,5W - 2000K - 1055 Lm



DL700355 H 325mm, L 210mm 10W - 2700K - 1000 Lm



DL700305 H 140mm, L 185mm 5W - 2000K - 250 Lm



DL700207 H 75mm, L 180mm 18W - 3000K - 3000 Lm

#### Tattoo Lamps® E27

possible to be decorated.



4W - 2700K - 420 Lm

LEDHALFC H 178mm, L 125mm 4W - 2700K - 420 Lm



H 178mm, L 125mm 4W - 2700K - 420 Lm

Custom Design LED Tattoo Lamp® can be personalized with a logo, a claim or a graphic element being part of your corporate identity: it will be an original distinctive element for your business, your point of sale or even a subtle feature for the architectural project you are creating. Write to us for further information!





#### The LED lamps of the Tattoo Lamp<sup>®</sup> line undergo a special treatment that makes them frosted and therefore



LEDKISSC H 178mm, L 125mm 4W - 2700K - 420 Lm



LEDOTTOC H 178mm, L 125mm 4W - 2700K - 420 Lm







## Lamps for plants E27

These LED lamps help us to maintain healthy flowers and green plants in apartments or greenhouses.




**CBL700195** H 135mm, L 95mm E27 - 12W



**CBL700194** H 135mm, L 95mm E27 - 12W







# AT CREATIVE-CABLES BUYING A LAMP TAKES ON A WHOLE NEW MEANING

At Creative-Cables, lamps can take many shapes and styles in order to adapt to everyone's needs. Here's how to turn your projects into reality:



LAMPS DESIGNED BY US In our assortment you will find a numerous of options that we've designed for you. You just need to choose the model, the finish and receive it directly where you need it in a few days. You can decide either to receive it already mounted or in a DIY kit!



PERSONALIZE ANY DESIGN Personalizing a Creative-Cables lamp


means adapting any of the components to your specific needs: from changing their colors to extending its length as you may need it. Each personalization is free of charge!



**DESIGN YOUR OWN LAMP** Use the lamp configurators available on our website to mix and match the components and create the lamp you desire to have. You can decide either to receive it already mounted or in DIY kit!

Have a look at the following pages to get some inspiration! And, if you need any help our Customer Service is always at your disposal.










## ${\small \textbf{S}} \text{INGLE PENDANT WITH LAMPSHADE}$




188


6 Central Park






## MULTI-PENDANT







## MULTI-PENDANT WITH LAMPSHADES




192












## PLUG-IN LAMPS







## CEILING AND WALL LAMPS








## **A**BOUT US

# REASONS TO BECOME A B2B CUSTOMER

#### **Creative-Cables**

Creative Cables was founded in 2013, fuelled by a combination of the textile tradition of Turin, Italian passion for interior design and the contemporary conviction that made-to-measure is the new luxury. Still at the heart of our mission, these elements have taken us beyond fabric/textile cables and to develop a "toolbox" to allow consumers and professionals alike to bring their lighting dreams to life either by customizing ready-to-use products in our catalogue or sourcing components to build from scratch. Creative-Cables has placed the lighting world on its head by eliminating the concept of "standard", be it in terms of lengths, color, combinations, or simply the setup of your lamp and instead substituted it with "choice" and the idea of "Your Light Style", so you choose!

In a relative short period Creative-Cables has developed an online presence that stretches across 20+ countries, 4 continents and it's own retail network of Flagship stores in 6 countries. We also serve the professional market via a dedicated B2B division with a dedicated account management team and website, with local presences in Italy, UK, Spain and USA.





Choice

We offer hundreds of IMQ-HAR or UL certified cables made in Italy, complemented by a variety of lighting accessories and high-quality light bulbs that can generate thousands of combinations. Our assortment is regularly reviewed to set or match current lighting trends.



Customization

Anything can be possible at Creative-Cables. We like to explore your ideas and encourage your creativity: if what you want is feasible, we can make it happen. We are the producer, so ask us if we can create what you need.



Logistics

B2B orders of any size can be prepared within 5 working days, 80% of our orders are dispatched within 48 hours.

We have mastered our efficiency to allow you to receive what you need when you need it. For special customized products or assemblies, we can advise approximate lead times to ensure you have all the information you need to plan accordingly.



Assembly

We can assemble and certify almost any of our products together to create your desired ready-to-use lamps that only need to be positioned and switched on. Simply nominate the components you need and contact us to receive the best quotes available complete with volume breaks for larger quantities. The more you buy, the more you save.



Service

Our B2B website is active 24/7: In addition, each B2B customer receives dedicated support from a qualified account manager who can assist you throughout the process before, during and after the sale.




Point of sale materials

We have boxed products and sample displays cases. Corners Display Panels are the solution to display a wide selection of products in your store or showroom to maximize sales by properly expressing the idea of possibilities of light installations that can be obtained with Creatives Cables components.







CORNER120CLASSICV2 L 120cm, H 240cm, D 40cm





# ADVANTAGES OF CREATIVE CABLES SHOP CORNERS

nents and lamps. spirit at a glance.


2

3

All retailers with a Creative Cables Shop Corners are identified with a premium "corner" identifier on the Creative Cables retail map and furthermore are given priority in order preparation

#### **BUSINESS MODEL**

more information.



CORNER120URBANV2 L 120cm, H 240cm, D 30cm

204

#### DISPLAY AND SALES MADE EASY

A 120cm ready to use wall unit that brings together a selection of Creative-Cables best selling compo-

The Creative Cables Toolbox and the mix-and-match

#### **VISIBILTY AND SERVICE**

Shop Corners are provided on "loan-to-use" basis against a minimum order amount and furthermore shop corner customers gain a fixed discount on all future orders. Contact our B2B salesteam for




## **CREATIVE-BOX VER. I - ELEGANCE**


#### The Creative-Box Elegance

Focuses on the elegance yet simplicity of metal brushed finishes. Declining this style in 4 product families: a 6-pendant ceiling lamp, 4 wall lights, a table lamp and the Filè System for walls and ceilings. The Creative-Box focuses on these 4 product families, illustrating the different finishes and how these can be customised with a few, finite choices (different colours of cable, heights of the table lamp and finishes of the lampholder) all on show within the Creative-Box.

# **Creative Box**

Easy for the customer to SEE, simple for the shopkeeper to SELL.







CREATIVE-BOX-V1 L 115cm, H 235cm, D 75cm



## CREATIVE-BOX VER. 2 - OUTDOOR

# ADVANTAGES OF CREATIVE BOXES

#### The Creative-Box - creative box outdoor

The Creative-Box focuses on our outdoor lighting solutions:

Featuring EIVA, the world's first IP65 waterproof wireable lamp holder, and the cool collection of outdoor decorative lighting it powers.

Lumet, the festoon string lighting installation that allows you to hang the lights where you need them and populate with the stylish E27 light bulbs of your choice.






The Creative-Box puts a specific style or mood from the Creative-Cables catalogue on show in a stylish 115cm x 75cm x 235cm self-contained







CREATIVE-BOX-V2 L 115cm, H 235cm, D 75cm

208

#### **STANDALONE IN-SHOP DISPLAY**

#### **ORDER CONFIGURATOR**

Creative Boxes come with an intuitive configurator that runs on a mobile phone or tablet allowing the shopkeeper to complete the sale with the customer, on the spot. The configurator quickly gives the customer a price for any variations desired in a matter of a few clicks.

#### **NO NEED TO HOLD STOCK**

Place the order with the customer, we prepare and send so the customer can pick up at the retail point



#### Eiva Mini Creative Box - Counter display unit

210

A tool that will make it easier for the customer to choose and for the retailer to sell. Despite its small size, the display unit contains all the components of our Eiva outdoor lighting system: the two Pastel or Elegant lines, the 8 silicone finishes available, the selection of Creative Cables cables for outdoor use and the innovative lamp holder patented by Creative Cables. The display unit is shipped pre-assembled, thereby avoiding the hassle of having to follow any assembly instructions. Just open the box to display it and start selling! Contact your local B2B sales team to find out how to get an EIVA Mini Creative Box with your next order.



# **OTHER DISPLAY SOLUTIONS**



#### Counter-top or wall cable display

232 Textile cable colours displayed in colour scale in the space of one metre: thanks to this new display you will have a highly effective tool at your fingertips to help your customers find the right cable for their unique projects. Made of expanded pvc for resistance, the new display has a simple and elegant design and can be used as a stand or installed on the wall. Choose between the white or black version, both personalised with the Creative Cables logo. All samples are supplied with clearly legible labels to make it easier to identify the specific cable and place an order. The way the cable is inserted and extracted from its slot is even easier, thus extending the life of the individual samples.





## Cable Display Case

The eco-friendly leather suitcase for exhibiting the fabric cables samples of Creative-Cables.

An elegant and practical way to present our vast range of colours and fabrics to your customers.

Each cable is labeled and can be extracted from the case: making it a useful helper when it comes to sales, but also an attractive piece to exhibit in your shop!

L 50cm, H 40cm, D 9/19cm

## Reel Display Kit

The Reel Display Kit is a simple and elegant solution for displaying Creative-Cables cables on a wall.

Each kit consists of 2 lateral leg loops with logo and 2 bars, to easily exhibit up to 8 reels of cable.

The cable reels are not included, but are supplied by default with the purchase of 50 meters of lighting cable and 25 meters of cable for string lighting cables (or relative multiples).



## **CONTACT INFORMATION**

#### Local contacts for B2C market

#### **Creative-Cables Australia**

1 Cairns st, Red Hill, Brisbane info.au@creative-cables.com +61 (0) 733 67 26 64 www.creative-cables.com.au

#### **Creative-Cables Austria**

info.de@creative-cables.com +49 681 95 26 40 34 www.creative-cables.at

#### **Creative-Cables Belgium**

Avenue Brugmann, 204 1050 Bruxelles info.be@creative-cables.com +32 02 732 82 32 www.creative-cables.be

#### **Creative-Cables Colombia**

Carrera 38 #10-57 Of. 203 Medellín 050021 info.co@creative-cables.com +57/4 322 47 66 www.creative-cables.co

#### **Creative-Cables Croatia**

Nova cesta 109, Zagreb info.hr@creative-cables.com +385 958 78 45 54 www.creative-cables.hr

#### **Creative-Cables Czech Republic**

Václavská 237/6, 603 00 Brno info.cz@creative-cables.com +420 776 39 74 72 www.creativecables.cz

#### Creative-Cables Denmark

AB Klasavägen 4, 432 95 Varberg info.dk@creative-cables.com +46 340 66 25 01 www.creative-cables.dk

#### **Creative-Cables France**

51 Rue de la République 13002 Marseille 2e Arrondissement info.fr@creative-cables.com +33 372 64 00 41 www.creative-cables.fr

#### **Creative-Cables Germany**

info.de@creative-cables.com +49 681 95 26 40 34 www.creative-cables.de

212

#### **Creative-Cables Greece**

Pasalidi 24, 55134 Kalamaria Thessaloniki info.gr@creative-cables.com +30 231 05 31 938 www.creative-cables.gr

#### Creative-Cables Italy

Lungo Dora P. Colletta n.113/9 10153 Torino info.it@creative-cables.com +39 800 03 41 80 www.creative-cables.it

#### **Creative-Cables Nederland**

Osloweg 1 9723 BE Groningen info.nl@creative-cables.com +31 (0)6 - 46 55 57 87 www.creative-cables.nl

#### Creative-Cables Portugal

Urb. Quinta das Palmeiras, Lote 3, Loja D, 8400-623 Parchal info.pt@creative-cables.com +351 282 41 28 54 www.creative-cables.pt

#### **Creative-Cables Reunion**

38 rue Léon Lepervanche 97424 Piton Saint Leu Reunion Island info.re@creative-cables.com +262 (0) 692 76 72 22 www.creative-cables.re

#### **Creative-Cables Slovakia**

Adamcova 1261/3, 63500 Brno info.sk@creative-cables.com +420 776 39 74 72 www.creative-cables.sk

#### **Creative-Cables Slovenia**

Celovška cesta 172, 1000 Ljubljana info.si@creative-cables.com +386 (0) 516 06 252 www.creative-cables.si

#### **Creative-Cables South Africa**

Woodstock Exchange, 66 Albert Road, Woodstock, Cape Town info.za@creative-cables.com +24 064 54 76 054 www.creative-cables.co.za

#### Creative-Cables Spain

Carrer dels Treballadors 1A, 46909 Torrent Valencia info.es@creative-cables.com +34 960 62 77 49 www.creative-cables.es

#### **Creative-Cables Sweden**

AB Klasavägen 4, 432 95 Varberg info.se@creative-cables.com +46 340 66 25 01 www.creative-cables.se

#### **Creative-Cables Switzerland**

Rue de Longschamps 2 2068 Hauterive NE info.ch@creative-cables.com +41 793 57 43 56 www.creative-cables.ch

#### Creative-Cables UK Unit 57, Hillgrove Business Park, Nazeing Road, Waltham Abbey, Essex, EN9 2HB info.uk@creative-cables.com +44 (0) 203 94 01 748

#### Creative-Cables USA

www.creative-cables.co.uk

3043 Broad Avenue TN 38112 Memphis info.us@creative-cables.com +1 901 35 95 128 www.creative-cables.us

## **INTERNATIONAL B2B**

| website:            | b2b.creative-cables.       |
|---------------------|----------------------------|
| warehouse location: | Lungo Dora P. Colletta n.  |
|                     | 10153, Torino (TO) - Itali |
| email:              | info.b2b@creative-cables   |
| tel:                | +39 011 24 78 463          |

#### Markets with local B2B operations

#### BENELUX

website: warehouse location:

email: tel:

#### **b2b-benelux.creative-cables.com** Belgium, Netherlands, Luxembourg

Nijverheidsstraat, 38 2570 - Duffel - Belgium b2b.benelux@creative-cables.com +32 (0) 349 24 40

#### GERMANY

website: warehouse location: email: tel:

#### b2b.creative-cables.com

Lungo Dora P. Colletta n.113/9 10153, Torino (TO) - Italia b2b.de@creative-cables.com +49 681 95 26 40 33

#### NORDIC

SWEDEN & DENMARK website: warehouse location: email: tel:

### b2bnordic.creative-cables.com

AB Klasavägen 4, 432 95 Varberg b2bnordic@creative-cables.com +46 340 66 25 01

#### UNITED KINGDOM

website: warehouse location: email: tel:

#### b2b.creative-cables.co.uk

Unit 57, Hillgrove Business Park, Nazeing Road, Waltham Abbey, Essex, EN9 2HB b2b.uk@creative-cables.com +44 (0) 203 94 01 748

#### .com

.113/9 lia es.com

#### FRANCE

website: warehouse location:

email: tel:

#### ITALY

website: warehouse location:

email: tel:

#### SPAIN

website: warehouse location:

email: tel:

#### USA

website: warehouse location:

email: tel:

#### b2b.creative-cables.com

Lungo Dora P. Colletta n.113/9 10153, Torino (TO) - Italia cristina.mancuso@creative-cables.com +33 372 64 00 38

#### b2b.creative-cables.it

Lungo Dora P. Colletta n.113/9 10153, Torino (TO) - Italia b2b.it@creative-cables.com +39 011 24 95 093

#### b2b.creative-cables.es

Carrer dels Treballadors, 1 A 46909 Torrent Valencia b2b.es@creative-cables.com +34 960 62 77 69

#### www.creative-cables.us

3043 Broad Avenue Memphis, TN 38112 info.us@creative-cables.com +1 901 35 95 128



COPYRIGHT BY CREATIVE-CABLES S.P.A. IT IS FORBIDDEN TO COPY THE CATALOGUE, EVEN PARTIALLY.

In the ongoing search for technical and functional improvements, Creative-Cables reserves the right to make changes, substantial or not, to its products, which may be put into effect without prior notice.

The images and the colours are provided for general information purposes only and are not binding for Creative-Cables.

Creative-Cables Lungo Dora Pietro Colletta 113/9 10153, Turin (TO) - Italy VAT number: IT09813270015 www.creative-cables.com For Enquiries: +39 011-835037 info.b2b@creative-cables.com